

Deep Near-Infrared Observations and Identifications of *Chandra* Sources in the Orion Molecular Cloud 2 and 3

Masahiro Tsujimoto, and Katsuji Koyama

Department of Physics, Graduate School of Science, Kyoto University, Sakyo-ku, Kyoto, 606-8502, Japan
 tsujimot@cr.scphys.kyoto-u.ac.jp, koyama@cr.scphys.kyoto-u.ac.jp

Naoto Kobayashi, and Miwa Goto¹

National Astronomical Observatory of Japan, 650 North A'ohoku Place, Hilo, HI 96720, USA
 naoto@subaru.naoj.org, mgoto@subaru.naoj.org

Yohko Tsuboi

Department of Physics, Faculty of Science and Engineering, Chuo University, Bunkyo-ku, Tokyo, 112-8551, Japan

tsuboi@phys.chuo-u.ac.jp
 and

A. T. Tokunaga

Institute for Astronomy, University of Hawaii, 2680 Woodlawn Drive, Honolulu, HI 96822, USA
 tokunaga@ifa.hawaii.edu

ABSTRACT

We conducted deep near-infrared (NIR) imaging observations of the Orion molecular cloud 2 and 3 using Quick Infrared Camera on the 88-inch telescope of the University of Hawaii. Our purposes are 1) to generate a comprehensive NIR source catalog of these star forming clouds, and 2) to identify the NIR counterpart of the *Chandra* X-ray sources that have no counterpart in the Two Micron All Sky Survey (2MASS) catalog. Our *J*-, *H*-, and *K*-band observations are ~ 2 mag deeper than those of 2MASS, and well match the current *Chandra* observation. We detected 1448 NIR sources, for which we derived the position, the *J*-, *H*-, and *K*-band magnitude, and the 2MASS counterpart. Using this catalog, we identified the NIR counterpart for $\sim 42\%$ of the 2MASS-unIDed *Chandra* sources. The nature of these *Chandra* sources are discussed using their NIR colors and spatial distributions, and a dozen protostar and brown dwarf candidates are identified.

Subject headings: stars: pre-main sequence — Infrared: stars — X-rays: stars — Individual: OMC-2/3

1. Introduction

The *Chandra X-ray Observatory* made X-ray observations to be one of the most powerful tech-

niques for the study of star formation. Its sensitivity in the hard X-ray band ($E > 2$ keV) provides us a new light to probe into the dense cloud cores of $A_V \gtrsim 100$ mag extinction, and its spatial resolution of $\sim 1''$ can separate virtually all the individual cloud members. In addition, its very low

¹Visiting Astronomer at the Institute for Astronomy, University of Hawaii

detector noise enables us to access very faint X-ray sources like deeply embedded protostars and brown dwarfs, which were quite difficult with the preceding X-ray observatories.

Casanova et al. (1995) derived an empirical relation between the un-reddened J -band magnitude (J) and the X-ray flux (F_X) in the 1.0–2.4 keV band using T Tauri star samples in the ρ Ophiuchi cloud ($D=160$ pc) detected by *ROSAT*, which is

$$\log F_X (4\pi D)^2 \sim -0.30J + 32. \quad (1)$$

The detection limit of the *Chandra* observation of the Orion nebula cluster, for instance, is $F_X \sim 4 \times 10^{-16}$ erg s $^{-1}$ cm $^{-2}$ in the 0.5–8.0 keV band (Feigelson et al. 2002), which can be converted to $F_X \sim 2 \times 10^{-16}$ erg s $^{-1}$ cm $^{-2}$ in the 1.0–2.4 keV band assuming a thin-thermal plasma spectrum of 1 keV temperature. If equation (1) can be applied to other young stellar objects (YSOs), the required near-infrared (NIR) detection limit to match the *Chandra* depth would be $J \sim 17$ mag. The deepest all-sky NIR catalog is the Two Micron All Sky Survey (2MASS) down to $J \sim 15.8$ mag 2 . In some star forming regions, therefore, X-ray observations are “deeper” than NIR observations.

The Orion molecular cloud 2 and 3 (OMC-2/3), a member of the Orion–Monoceros complex (Madalena et al. 1986), is one of these regions. Tsujimoto et al. (2002) detected 385 X-ray sources with the ACIS-I onboard *Chandra*, and 203 were identified to have the 2MASS J -, H -, and K_s -band counterpart. They discussed the natures of these X-ray sources based on their NIR colors. However, the natures of X-ray sources with no 2MASS counterpart (153 sources) or no 2MASS J - and/or H -band detections (29 sources) remain unknown. Most of these 182 X-ray sources (hereafter we call them “2MASS-unIDed” sources) are faint, hence some may be protostars and/or brown dwarfs. In order to investigate the nature of 2MASS-unIDed sources, NIR imaging observations of 2–3 mag deeper than the all-sky survey depth are necessary.

Here, we report the result of our deep J -, H -, K -band observations of OMC-2/3. This paper has two purposes; 1) to generate a comprehensive NIR

source catalog of this region, and 2) to identify the NIR counterpart of the 2MASS-unIDed *Chandra* sources and to discuss their nature based on their NIR colors and spatial distributions, with the emphasis on the search for protostar and brown dwarf candidates. The X-ray features of these candidates will be discussed in a separate paper.

The OMC-2/3 is known to have the highest condensation of protostars among the nearby star forming clouds (Reipurth, Rodorígues & Chini 1999), and are superb fields to study the initial conditions of star formation. Extensive observations have been reported particularly in the millimeter (Bally et al. 1987; Tatematsu et al. 1993; Dutrey et al. 1993; Cesaroni & Wilson 1994; Castets & Langer 1995; Chini et al. 1997; Yu et al. 2000; Aso et al. 2000) to sub-millimeter (Lis et al. 1998; Johnstone & Bally 1999) band, detecting 20–30 protostellar cores. In the NIR band, however, previous studies (Gatley et al. 1974; Thronson & Thompson 1982; Pendleton et al. 1986; Johnson et al. 1990; Jones et al. 1994; Ali & Depoy 1995; Carpenter 2000; Carpenter, Hillenbrand, & Skrutskie 2001) were all confined to OMC-2 and/or not deep enough (particularly in the J band) to pick up deeply embedded protostars. Since sensitive J -, H -, and K -band imaging observations are the most efficient and common technique to detect YSOs in protostellar cores, our imaging survey would also be helpful in search for embedded YSOs in these protostellar cores.

Throughout this paper, we assume the distance to OMC-2/3 to be 450 pc (Genzel & Stutzky 1989).

2. Observation

We used the Quick Infrared Camera (QUIRC) mounted on the Cassegrain focus of the 88 inch telescope of the University of Hawaii (Hodapp, Hora, & Metzger 1997). QUIRC is a 1024×1024-pixel HgCdTe array, providing a 3'2×3'2 field of view (FOV) with the pixel scale of 0'189. The smaller pixel scale than 2MASS detectors are more suitable to pick up NIR sources contaminated by diffuse emissions, particularly at the southern half of our studied field.

We conducted mosaic mapping observations to sweep the whole *Chandra* field (Fig. 1). We first covered the uppermost row (filed No.1–No.5) of

²See <http://www.ipac.caltech.edu/2mass/>.

the mosaic by shifting the field center by $1'6$ (half of the FOV of QUIRC) from east to west. Then, we moved $1'6$ southward and covered the second uppermost row (field No.6–No.13) by inversely shifting from west to east. We continued these raster scans to reach the lowermost row of the mosaic. In this way, we can minimize the dead time due to the shift of the field center, and reduce the effect of ghosts. In total, we swept the *Chandra* FOV with 169 QUIRC FOVs that amount to ~ 512 arcmin².

Each 169 frames was exposed for 60 s. We conducted the mosaic mapping once in the *H* and *K* band, and twice for the *J* band, spending six half nights of 2001 February 4–6 and 2001 March 11–13 (Table 1). All nights were photometric, and the seeing was $0''.7$ – $1''.1$. In one sweep, any region inside the *Chandra* field except for edges (the gray region in Fig. 1) was covered four times, so the nominal exposure time was 240 s in the *H* and *K* band, and 480 s in the *J* band.

The studied field covers the whole of OMC-2 and OMC-3 clouds (Fig. 2).

3. Analysis

All the QUIRC frames were reduced following the standard procedures using IRAF³; i.e., dark-subtraction, flat-fielding, sky-subtraction, and bad pixel removal. Flat frames were taken with the dome flat, while sky frames were constructed by the median sky technique for each band and each night. SExtractor (Bertin & Arnouts 1996) was used for source extraction and photometry.

For the purpose of the astrometric and photometric calibration of all frames, we consulted the Second Incremental Data Release of 2MASS catalog. This catalog provides the position and the *J*-, *H*-, and *K_s*-band magnitudes of NIR sources down to 15.8, 15.1, and 14.3 mag. The accuracy in position and magnitude is $\sim 0''.1$ and ~ 0.1 mag in the range of 6–15 mag.

We tentatively extracted sources from each QUIRC frame and correlated them with 2MASS sources using WCSTools⁴. All frames were found

to have 18–145 sources, including 4–51 sources with the 2MASS counterpart. Using the QUIRC–2MASS counterpart pairs, we first shifted each QUIRC frame so that the mean separation between QUIRC sources and their 2MASS counterpart reaches the minimum. Second, we multiplied each QUIRC frame with a constant value that was derived by the least square method in order to match the QUIRC photometry with the 2MASS photometry. In this way, we used the 2MASS sources as standard stars. Sources brighter than 11 mag were not used for this procedure because of the non-linearity of QUIRC (see Sect. 4.3), and those fainter than 16 mag were not used either because of the large uncertainty of the 2MASS photometry data.

All the frames, which were thus corrected for astrometry and photometry, were combined into three large mosaic images of the *J*, *H*, and *K* band.

4. Results

4.1. Source Extraction and Photometry

In prior to the source detection, all the images were binned with the neighboring 2×2 pixels and smoothed with a gaussian function to attain better signal-to-noise ratio. For the *K*-band mosaic image thus improved, we extracted NIR sources above 3σ level. In SExtractor, we can choose any convolution masks in the peak finding procedure. We adopted a mexican hat function with the seeing size radius for the mask. This function gave the most robust result among several masks with various radii we examined, particularly in regions contaminated with diffuse emissions. With visual inspections of the output, we carefully removed 1) sources at the edge of the mosaic images, 2) ghosts of bright sources, and 3) spurious detections (in most cases, diffuse structures were identified as point-like sources). As a result, we picked up 1448 *K*-band sources.

For each *K*-band detected source, we derived the *J*-, *H*-, and *K*-band magnitude with the adaptive aperture photometry implemented in SExtractor. For source less than 3σ detection in the *J* and/or *H* band, we calculated the 3σ upper limit of their magnitudes.

We correlated all the QUIRC sources with the 2MASS catalog, and found that 682 ($\sim 47\%$) have a 2MASS counterpart.

³IRAF is distributed by the National Optical Astronomy Observatories, which are operated by the Association of Universities for Research in Astronomy, Inc., under cooperative agreement with the National Science Foundation.

⁴See <http://tdc-www.harvard.edu/software/wcstools/>.

4.2. Source List

Table 2 lists the QUIRC sources with their source number, position, the J -, H -, and K -band magnitudes, and their 2MASS counterpart. Hereafter, we follow the IAU convention for the source naming; i.e., TKK J05342894–0508387 for the source No.1. The label “>” means the 3σ upper limit of J - and/or H -band fluxes (lower limit of the magnitude). For the saturated QUIRC sources (brighter than 11 mag; see Sect. 4.3), we replaced them with the 2MASS magnitudes with the label “†” if available in the 2MASS catalog. If not, we labeled the magnitudes with “<” to show the lower limit of the flux (the upper limit of the magnitude).

4.3. Astrometric and Photometric Accuracy

Using the QUIRC–2MASS counterpart pairs, we evaluated the accuracy of the QUIRC astrometry and photometry in the following way. In Fig. 3, we plotted differences between the QUIRC and 2MASS positions both in the right ascension (R.A.) and the declination (Dec.). We found that $\Delta\text{R.A.} = 0''.048 \pm 0''.161$ (1σ) and $\Delta\text{Dec.} = 0''.022 \pm 0''.148$ (1σ), which indicates that the QUIRC positions are determined with the accuracy of the QUIRC pixel scale ($0''.189$) and the systematic offset between the QUIRC and 2MASS positions is negligible.

In Fig. 4, we plotted the QUIRC and 2MASS magnitudes of QUIRC–2MASS counterpart pairs separately for each band. The linear relation (2MASS magnitude = QUIRC magnitude) is violated at the brighter side than ~ 11 mag due to the non-linearity of the QUIRC detector. The QUIRC saturation limit of 44,000 ADU counts (Hodapp et al. 1997) corresponds to ~ 11 mag in our observation. For sources fainter than 11 mag in the QUIRC and 2MASS magnitude, we calculated the difference between their magnitude for each band (Δm_J , Δm_H , and Δm_K). We found that $\Delta m_J = -0.06 \pm 0.22$ mag (1σ), $\Delta m_H = -0.07 \pm 0.19$ mag (1σ), and $\Delta m_K = -0.04 \pm 0.18$ mag (1σ), indicating that the QUIRC photometry fainter than 11 mag is reliable within ~ 0.2 mag of the 2MASS photometry.

4.4. Survey Depth

We estimated the survey depth of our QUIRC observations in the following manner. First, we embedded 500 artificial sources with 13.0–13.5 mag in the J -, H -, and K -band mosaic image. The same source detection algorithm was employed to detect these artificial sources, then the detection rate of sources with 13.0–13.5 mag was derived. The same procedure was repeated for sources of different magnitudes from 13.0–20.0 mag with 0.5 mag bins. The detection rate at each magnitude bin is given in Fig. 5 for the K (solid), H (long-dashed), and J (short-dashed) band respectively. The 90% completeness limit was thus estimated to be $K \sim 16.0$ mag, $H \sim 16.5$ mag, and $J \sim 17.5$ mag.

In order to compare the depth of our observations with that of 2MASS, we made the histogram of the number counts of the K -band detected source at each magnitude (K -band luminosity function; KLF) in Fig. 6. The short- and long-dashed histograms respectively represent the KLF of QUIRC sources with and without the 2MASS counterpart, while the total is given in the solid histogram. The 2MASS catalog fails to detect some bright sources even in $K \lesssim 14$ mag, which is mainly due to the contamination by diffuse emission or the binary companion. This can be confirmed by plotting the 2MASS source list on the 2MASS image.

4.5. Cloud Membership and Age

In the KLF shown in Fig. 6, we can estimate the back- and fore-ground source contamination. The dotted curve shows the back- and fore-ground source counts predicted by SKY; a Galactic star count model (Cohen 1993, 1994; Cohen, Sasseen, & Bowyer 1994; Cohen 1995) assuming no extinction. We examined colors of all the detected sources and found that they have an average extinction of $A_K \sim 1$ –2 mag, which shifts the dotted line rightward correspondingly. The contamination is not negligible for sources fainter than $K \sim 15$ mag, but for brighter sources, we can assume that most of them are cloud members.

The peak of KLF at 12–13 mag is a real feature when the completeness limit and back- and fore-ground contamination are taken into consideration. This has been inferred by Jones et al.

(1994), who studied the KLF of OMC-2 sources. The peak of KLF is often seen in the young associations like Orion Nebula Cluster (Ali & Depoy 1995; Hillenbrand & Carpenter 2000), and is considered to be caused by the difference of the mass-to-luminosity relation between main-sequence and pre-main-sequence stars (Muench, Lada, & Lada 2000). The peak is consistent with the cloud age of ~ 1 Myr (Johnson et al. 1990) that was derived by plotting some bright NIR sources in OMC-2 on the HR diagram, and $10^{6\pm 0.4}$ yr (Rebull et al. 2000) that was estimated from the I - and V -band magnitudes of Orion sources.

5. *Chandra* Sources with no 2MASS Counterpart (2MASS-unIDed Sources)

5.1. QUIRC Counterpart for 2MASS-unIDed Sources

Using the QUIRC source list (Table 2), we searched for the NIR counterpart of 182 2MASS-unIDed sources. The radius of the point spread function (PSF) of *Chandra* differs by more than an order of magnitude between on-axis sources and those near the field edge, which deteriorates the position accuracy at large off-axis sources. Therefore, in identifying the QUIRC counterpart of the *Chandra* sources, we took the off-axis angle into account in the following manner.

First, we searched for the QUIRC source closest to each *Chandra* source. Second, we conversely searched for the *Chandra* source closest to each QUIRC source. Then, we picked up 158 QUIRC–*Chandra* pairs that are the closest to each other. These include both pairs of physically associated (“counterpart pairs”) and of no physical association (“non-associated pairs”). In Fig. 7, we plotted the separation between the closest QUIRC–*Chandra* pairs as a function of the *Chandra* off-axis angle. We see two groups (filled and open squares), which are well separated by the dashed line indicating the 90% encircled energy radius (r_{90} ; $\sim 0.9 \times \text{FWHM}$ of the gaussian PSF) of 1.49 keV X-rays as a function of off-axis angle⁵. Since r_{90} is the radius in which the 90% of incident X-ray photons are accumulated, it also represents the position accuracy of the *Chandra* sources at each off-axis angle. We therefore re-

garded the closest QUIRC–*Chandra* pairs with the separation angle less than r_{90} (filled squares) to be the counterpart pairs, and those with larger separation angle (open squares) as the non-associated pairs. As a result, 74 2MASS-unIDed sources were newly found to have a QUIRC counterpart (hereafter we call them “QUIRC-IDed” sources), which are listed in Table 3.

5.2. The Nature of QUIRC-IDed *Chandra* Sources

For the QUIRC-IDed sources, we estimated their nature using their NIR colors, putting particular interest on X-ray emitting protostars and brown dwarfs. We converted the J -, H -, and K -band magnitudes in Table 2 (J_{QUIRC} , H_{QUIRC} , and K_{QUIRC}) to the California Institute of Technology (CIT) color system (J_{CIT} , H_{CIT} , and K_{CIT}) using the following conversion formula (Carpenter 2001).

$$J_{\text{CIT}} = 0.947J_{\text{QUIRC}} + 0.053K_{\text{QUIRC}} + 0.036 \quad (2)$$

$$(J - H)_{\text{CIT}} = 0.929(J - H)_{\text{QUIRC}} + 0.040 \quad (3)$$

$$(H - K)_{\text{CIT}} = 0.975(H - K)_{\text{QUIRC}} - 0.027 \quad (4)$$

The converted J -band magnitude, and $(J-H)$ and $(H-K)$ colors are given in Table 3.

The color-color diagram was used for the protostar search from QUIRC-IDed sources. Fig. 8 shows the $(J-H)$ vs. $(H-K)$ diagram (Lada & Adams 1992), where the QUIRC-IDed sources are shown in squares. Those with arrows indicate the lower limit of colors, where the upward arrows are due to the lack of J -band detections and the rightward arrows are due to the saturation in the K band. The intrinsic colors of giants and dwarfs are given by the thick solid curves (Tokunaga 2000). The emission from the circumstellar disks of the classical T Tauri stars (CTTS) gives a NIR excess on the giant and dwarf colors, hence aligned from lower-left to upper-right along the CTTS locus (Meyer, Calvet, & Hillenbrand 1997). The color of embedded objects move parallel to the reddening vector with increasing interstellar or circumstellar gas (Meyer et al. 1997). Therefore, squares between the right and middle dashed lines are reddened CTTS, while those between the left and middle lines are either reddened main-sequence stars, weak-line T Tauri stars or some

⁵See <http://asc.harvard.edu/udocs/docs/POG/MPOG/index.html>.

fraction of CTTS. Sources located to the right of the right dashed line (filled square) may be surrounded by extended envelopes in addition to the disks, hence are reddened more than the disks alone (Strom, Kepner, & Strom 1995). Therefore these 11 sources are class I protostar candidates. We labeled these sources with † in Table 3.

Two other features reinforce the idea that they are protostars. The first one is that many of them (I82, I128, I173, I180, I183, I195, and I215) accompany apparent NIR nebulosity in the K -band image. The second is that their spatial distribution (I128, I138, I140, I149, I173, I177, I180, I195, and I215) is well correlated with the 1.3 mm intensity map (Fig. 2). Cores seen in the millimeter continuum are the sites of on-going star formation, and NIR sources along the chain of 1.3 mm cores should be less evolved YSOs. I82 is located outside of the FOV of 1.3 mm observation (Chini et al. 1997), but its protostar nature suggests that the molecular cloud extends further to the north.

For the brown dwarf search, we used the J vs. ($J-H$) color-magnitude diagram shown in Fig. 9. In the same way, the QUIRC-IDed sources are shown as squares. Squares with the rightward arrows indicate saturation in the H band, and those with both the rightward and the downward arrows have H - but not J -band detection. The intrinsic colors of stars in the mass range of $0.002M_{\odot}$ – $1.40M_{\odot}$ and age of 1 Myr are shown in the solid curve (Baraffe et al. 1998). Due to the extinction, the colors are reddened in the direction of the reddening vector. Twelve sources (filled squares) are below the reddening line of $0.08M_{\odot}$, hence these are brown dwarf candidates with mass less than $0.08M_{\odot}$. We labeled these sources with ‡ in Table 3.

As was discussed in the previous section, we have to take back- and fore-ground contamination into account to discuss the nature of these faint NIR sources. More than half of these brown dwarf candidate have the K -band magnitude of less than 15 mag, where contamination is not still serious. Some of the sources (I140, I149, I177, and I349) show NIR excess and some (I68, I140, I149, I177, I360, I364, and I365) are spatially associated with 1.3 mm cores (Fig. 2), indicating that they are more likely cloud members and young brown dwarfs (Oasa, Tamura, & Sugitani 1999).

5.3. *Chandra* Sources without QUIRC counterpart

We still have 108 *Chandra* sources that were identified neither by 2MASS nor QUIRC. This number of unidentified *Chandra* sources is similar with the *Chandra* studies of other molecular clouds in the Orion–Monoceros complex; e.g., 101 in Orion nebula cluster (Feigelson et al. 2002) and 87 in Monoceros R2 cloud (Nakajima et al. 2002). These X-ray studies have as long exposure time (~ 90 ks) as OMC-2/3 (Tsuboi et al. 2001; Tsubimoto et al. 2002) and are correlated with the NIR survey data of the similar depth as this work. The number of unidentified *Chandra* sources can be consistent with the expected number of background X-ray sources (mostly AGNs) (Mushotzky et al. 2000; Giacconi et al. 2001), although the ambiguity due to the extinction is quite large. Their spatial distribution (squares in Fig. 2) is less correlated with the 1.3 mm intensity map than the protostar candidates, so they can be mostly background sources. This does not exclude the possibility of the cloud membership of some unidentified *Chandra* sources, particularly those associated with the 1.3 mm cores.

6. Summary

We conducted mosaic mapping observations of OMC-2/3 in the J , H , and K band using QUIRC.

1. We detected 1448 K -band sources in ~ 512 arcmin², for which we presented the position, the J -, H -, and K -band magnitude, and the 2MASS counterpart. This is the most comprehensive and the deepest NIR source catalog in this region.
2. The astrometric and photometric accuracy of our source list is evaluated using the QUIRC–2MASS counterpart pairs to be $\sim 0''.2$ and ~ 0.2 mag, respectively. The depth of the survey is $K \sim 16.0$ mag, $H \sim 16.5$ mag, and $J \sim 17.5$ mag.
3. Using the source list, we searched for QUIRC counterpart of 182 2MASS-unIDed *Chandra* sources and found 74 of them have QUIRC counterpart.
4. We examined the nature of the QUIRC-IDed *Chandra* sources with their NIR colors, and

found 11 protostar and 12 brown dwarf candidates.

5. The remaining 106 *Chandra* sources with no 2MASS nor QUIRC counterpart might be explained by background sources, although some of them can be cloud members.

The authors express their sincere appreciation to Michael Connelley for taking the QUIRC calibration data for use, Rolf Chini and Markus Nielbock for providing us the 1.3mm map including unpublished data, and Martin Cohen for letting us use his SKY model to estimate the galactic star count of our studied field. We also acknowledge the staff at the University of Hawaii for their support during our observation. M.T. and M.G. are financially supported by Japan Society for Promotion of Science. This publication makes use of data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation.

REFERENCES

- Ali, B., & DePoy, D. L. 1995, *AJ*, 109, 709
- Aso, Y., Tatematsu, K., Sekimoto, Y., Nakano, T., Umemoto, T., Koyama, K., & Yamamoto, S. 2000, *ApJS*, 131, 465
- Bally, J., Stark, A. A., Wilson, R. W., & Langer, W. D. 1987, *ApJ*, 312, L45
- Baraffe, I., Chabrie, G., Allard, F., & Hauschildt, P. H. 1998, *A&A*, 337, 403
- Bertin, E., & Arnouts, S. 1996, *A&AS*, 117, 393
- Carpenter, J. M. 2000, *AJ*, 120, 3139
- Carpenter, J. M. 2001, *AJ*, 121, 2851
- Carpenter, J. M., Hillenbrand, L. A., & Strutskie, M. F. 2001, *AJ*, 121, 3160
- Casanova, S., Montmerle, T., Feigelson, E. D., & André, P. 1995, *ApJ*, 439, 752
- Cesaroni, R., & Wilson, T. L. 1994, *A&A*, 281, 209
- Castets, A., & Langer, W. D. 1995, *A&A*, 294, 835
- Chini, R., Reipurth, B., Ward-Thompson, D., Bally, J., Nyman, L.-Å., Sievers, A., & Billawala, Y. 1997, *ApJ*, 474, L135
- Cohen, M. 1993, *AJ*, 105, 1860
- Cohen, M. 1994, *AJ*, 107, 582
- Cohen, M., Sasseen, T. P., & Bowyer, S. 1994, *ApJ*, 427, 848
- Cohen, M. 1995, *ApJ*, 444, 874
- Dutrey, A., Duvert, G., Castets, A., Langer, W. D., Bally, J., & Wilson, R. W. 1993, *A&A*, 270, 468
- Feigelson, E. D., Broos, P., Gaffney, J. A. III, Garmire, G., Hillenbrand, L. A., Pravdo, S., Townsley, L., & Tsuboi, Y. 2002, *ApJ*, 574, 258
- Gatley, I., Becklin, E. E., Matthews, K., Neugebauer, G., Penston, M. V., & Scoville, N. 1974, *ApJ*, 191, L121
- Genzel, R., & Stutzky, J. 1989, *ARA&A*, 27, 41
- Giacconi, R., Rosati, P., Tozzi, P., Nonino, M., Hasinger, G., Norman, C., Bergeron, J., Borghani, S. et al. 2001, *ApJ*, 551, 624
- Hillenbrand, L. A., & Carpenter, J. M. 2000, *ApJ*, 540, 236
- Hodapp, K-W., Hora, J. L., & Metzger, M. R. 1997, *Observer's Guide for QUIRC*, University of Hawaii
- Johnson, J. J., Gehrz, R. D., Jones, T. J., Hackwell, J. A., & Grasdalen, G. L. 1990, *AJ*, 100, 518
- Johnstone, D. & Bally, J. 1999, *ApJ*, 510, L49
- Jones, T. J., Mergen, J., Odewahn, S., Gehrz, D., Gatley, I., Merrill, K. M., Probst, R., & Woodward, C. E. 1994, *AJ*, 107, 2120
- Lada, C. J., & Adams, F. C. 1992, *ApJ*, 393, 278
- Lis, D. C., Serabyn, E., Dowell, C. D., Benford, D. J., Phillips, T. G., Hunter, T. R., & Wang, N. 1998, *ApJ*, 509, 299
- Maddalena, R. J., Morris, M., Moscovitz, J., & Thaddeus, P. 1986, *ApJ*, 303, 375
- Meyer, M. R., Calvet, N., & Hillenbrand, L. A. 1997, *AJ*, 114, 288
- Muench, A. A., Lada, E. A., & Lada, C. J. 2000, *ApJ*, 533, 358
- Mushotzky, R. F., Cowie, L. L., Barger, A. J., & Arnaud, K. A. 2000, *Nature*, 404, 459
- Nakajima, H., Takagi, S., Imanishi, K., Tsujimoto, M., & Koyama, K. in prep.
- Oasa, Y., Tamura, M., & Sugitani, K. 1999, *ApJ*, 526, 336
- Pendleton, Y., Werner, M. W., Capps, R., & Lester, D. 1986, *ApJ*, 311, 360
- Rebull, L. M., Hillenbrand, L. A., Strom, S. E., Duncan, D. K., Patten, B. M., Pavlovsky, C. M., Makidon, R., & Adams, M. T. 2000, *AJ*, 119, 3026
- Reipurth, B., Rodórigues, L. F., & Chini, R. 1999, *AJ*, 118, 983

- Strom, K. M., Kepner, J., & Strom, S. E. 1995, ApJ, 438, 813
- Tatematsu, K., Umemoto, T., Kameya, O., Hirano, N., Hasegawa, T., Hayashi, M., Iwata, T., Kaifu, N. et al. 1993, ApJ, 404, 643
- Thronson, H. A., Jr., & Thompson, R. I. 1982, ApJ, 254, 543
- Tokunaga, A. T. 2000, in Allen's Astrophysical Quantities, ed. A. N. Cox (4th ed.; New York: Springer), 143
- Tsuboi, Y., Koyama, K., Hamaguchi, K., Tatematsu, K., Sekimoto, Y., Bally, J., & Reipurth, B. 2001, ApJ, 554, 734
- Tsujimoto, M., Koyama, K., Tsuboi, Y., Goto, M., & Kobayashi, N. 2002, ApJ, 566, 974
- Yu, K. C., Billawala, Y. S., Smith, M. D., Bally, J., Butner, H. M. 2000, AJ, 120, 1974




Fig. 1.— The configuration of our mosaic mapping. The positions of 169 frame centers are marked in crosses with the relevant frame number. The frames are tiled at the intervals of $1''.6$ to sweep the *Chandra* field (the solid oblique square). Each frame covers the $3''.2 \times 3''.2$ square region (the size is shown at the right bottom) centered at each cross. When all frames combined, any point in the thick lines ($\sim 512 \text{ arcmin}^2$) is covered at least by one frame, while that in the gray region ($\sim 360 \text{ arcmin}^2$) is covered by four frames.




Fig. 2.— The 1.3 mm intensity map is shown in contours. OMC-2 and OMC-3 are separated by the solid line into the southern and northern part of the integral-shaped ridge. Squares are positions of *Chandra* sources that have neither 2MASS nor QUIRC counterpart, while “+” and “x” are for the protostar and brown dwarf candidates with their *Chandra* IDs (see Sect.5.2).




Fig. 3.— The astrometric accuracy of QUIRC sources. The difference of R.A. and Dec. (Δ R.A. and Δ Dec.) between the QUIRC and 2MASS positions are plotted for QUIRC–2MASS pairs. The solid square at the center is the QUIRC pixel scale of $0''.189 \times 0''.189$.




Fig. 4.— The photometric accuracy of QUIRC sources. The 2MASS and QUIRC magnitude of QUIRC–2MASS counterpart pairs are plotted separately for (a) J band, (b) H band, and (c) K band. Solid lines represent (2MASS magnitude=QUIRC magnitude).




Fig. 5.— The completeness limit of QUIRC observations. The fraction of detected artificial sources is shown with solid (K band), long-dashed (H band), and the short-dashed (J band) lines. The 90% (the dotted line) completeness limit is $K \sim 16.0$ mag, $H \sim 16.5$ mag, and $J \sim 17.5$ mag.




Fig. 6.— The QUIRC K -band-detected source counts ($N(M)$) at each magnitude (M). The solid histogram is the counts of all the QUIRC K -band sources, while the short- and long-dashed histograms are those with and without the 2MASS counterpart, respectively. The uncertainty of $\sqrt{N(M)}$ is given for each bin of the solid histogram. The dotted curve shows the back- and fore-ground source counts predicted by the Galactic star count model assuming no extinction. This curve should be shifted rightward corresponding to an average extinction of 1–2 mag.




Fig. 7.— The closest QUIRC–*Chandra* pairs are plotted with their separation and the *Chandra* off-axis angle on the vertical and the horizontal axis, respectively. The dashed curve is the 90% encircled energy radius of 1.49 keV X-rays at a given off-axis angle. Filled squares, which are below the dashed line are recognized as the counterpart pairs, while open squares above the dashed line are recognized as non-associated pairs.




Fig. 8.— The color-color diagram of QUIRC-IDed *Chandra* sources. Diamonds are protostar candidates, which are labeled with the *Chandra* source ID (Table 3), while squares are the remainings. Among them, brown dwarf candidates are marked filled. The intrinsic colors of dwarfs and giants are given in thick solid curves, while the CTTS locus is in thick solid line. The arrow at the bottom right gives the reddening vector of $A_V = 10$ mag. The slope of the reddening lines is assumed to be $E(J-H)_{\text{reddening}}/E(H-K)_{\text{reddening}} = 1.69$ (Meyer et al. 1997). The typical uncertainty is $\sim \pm 0.1$ mag. The close-up view around the origin is given in the panel at the top right.




Fig. 9.— The color-magnitude diagram of QUIRC-IDed *Chandra* sources. Filled are brown dwarf candidates, which are labeled with the *Chandra* source ID (Table 3). The iso-clone curve in the range of $1.40 M_{\odot} > M > 0.002 M_{\odot}$ at 1 Myr is shown in solid, while the reddening line of $0.08 M_{\odot}$ is in dashed line. The arrow at the top left indicates the reddening vector of $A_V = 10$ mag. The typical uncertainty is $\sim \pm 0.1$ mag.

TABLE 1
OBSERVATION LOG

Date	Band	Frame Numbers ^a
2001 Feb 4	<i>K</i>	No.1–No.169
2001 Feb 5	<i>J</i>	No.1–No.52
2001 Feb 6	<i>H</i>	No.1–No.169
2001 Mar 11	<i>J</i>	No.1, No.51–No.169
2001 Mar 12	<i>J</i>	No.1–No.129
2001 Mar 13	<i>J</i>	No.1, No.107–No.169

^aThe frame numbers (see Fig.1) covered each night. In the *J*-band sweep, for which we spent four nights, some frames are duplicated; i.e., the frame No.1 at the beginning of every run to check the telescope positioning accuracy, and frame No.51–No.52 and No.107–No.129 to check any difference of image quality in different nights. All these duplicated frames were confirmed to have similar quality and were combined equally into the final *J*-band mosaic image with the correction for the exposure time.

TABLE 2
QUIRC SOURCE LIST

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bde} (mag)	H^{bde} (mag)	K^{bde} (mag)	2MASS Counterpart
1	05:34:28.94	−05:08:38.7	15.52	14.13	13.74	2MASS J0534289−050838
2	05:34:29.36	−05:11:14.4	17.45	16.75	16.51	
3	05:34:29.48	−05:05:24.7	17.64	16.82	16.44	
4	05:34:29.60	−05:04:29.0	14.05	13.47	13.15	2MASS J0534295−050428
5	05:34:29.86	−05:04:05.6	12.83	12.16	11.95	2MASS J0534298−050405
6	05:34:30.15	−05:11:56.7	15.70	14.35	13.99	2MASS J0534301−051156
7	05:34:30.27	−05:11:48.2	11.53	10.64 [†]	9.95 [†]	2MASS J0534302−051148
8	05:34:30.61	−05:11:05.0	13.90	13.30	13.08	2MASS J0534305−051104
9	05:34:30.97	−05:03:56.9	16.94	16.14	15.80	
10	05:34:31.07	−05:06:17.1	17.42	16.64	16.23	
11	05:34:31.47	−05:08:54.1	16.45	15.84	15.56	
12	05:34:31.52	−05:12:30.0	9.49 [†]	8.40 [†]	7.95 [†]	2MASS J0534315−051230
13	05:34:31.58	−05:11:50.3	17.78	16.59	16.21	
14	05:34:31.85	−05:04:09.3	13.31	12.66	12.50	2MASS J0534318−050408
15	05:34:32.03	−05:10:23.2	15.21	14.63	14.51	2MASS J0534320−051023
16	05:34:32.05	−05:11:24.8	13.01	12.19	11.83	2MASS J0534320−051124
17	05:34:32.36	−05:12:59.6	18.64	15.67	15.12	
18	05:34:32.55	−05:04:21.3	17.65	16.83	16.63	
19	05:34:32.88	−05:10:15.5	16.25	15.33	15.06	2MASS J0534328−051015
20	05:34:32.89	−05:09:30.9	20.34	>20.72	17.05	
21	05:34:33.26	−05:07:26.8	14.51	14.22	13.85	2MASS J0534332−050726
22	05:34:33.27	−05:11:44.1	17.50	16.44	16.00	
23	05:34:34.06	−05:12:27.0	15.37	14.43	14.14	2MASS J0534340−051227
24	05:34:34.16	−05:05:57.0	17.18	16.44	16.12	
25	05:34:34.17	−05:05:17.1	13.30	12.71	12.40	2MASS J0534341−050516
26	05:34:34.62	−05:04:49.7	14.02	13.25	13.03	2MASS J0534346−050449
27	05:34:34.66	−05:05:08.4	16.22	15.37	15.18	2MASS J0534346−050508
28	05:34:35.55	−05:08:45.0	17.42	16.49	16.19	
29	05:34:35.55	−05:09:04.8	17.43	16.77	16.46	
30	05:34:35.95	−05:09:03.2	16.10	15.27	14.94	2MASS J0534359−050903
31	05:34:36.14	−05:05:08.0	16.34	15.48	15.46	2MASS J0534361−050507
32	05:34:36.26	−05:00:48.2	19.98	18.96	16.79	
33	05:34:36.35	−05:02:54.7	16.61	15.67	15.40	
34	05:34:36.39	−05:11:40.6	14.82	14.19	14.12	2MASS J0534363−051140
35	05:34:36.69	−05:05:03.4	16.05	15.23	15.05	2MASS J0534366−050503
36	05:34:36.69	−05:08:17.5	18.13	17.49	16.55	
37	05:34:36.72	−05:09:37.3	17.71	16.98	16.44	
38	05:34:36.76	−05:01:55.3	20.87	19.90	17.27	
39	05:34:36.83	−05:06:09.9	15.74	14.96	14.73	2MASS J0534368−050609
40	05:34:36.84	−05:05:19.8	17.75	16.71	15.68	
41	05:34:36.92	−05:05:11.9	16.92	16.46	16.09	
42	05:34:36.93	−05:08:14.5	17.01	16.77	16.65	
43	05:34:37.03	−05:12:39.1	16.80	15.41	14.98	
44	05:34:37.63	−05:04:49.3	16.82	15.79	14.94	
45	05:34:37.80	−05:14:29.4	15.17	14.08	13.72	2MASS J0534377−051429
46	05:34:37.91	−05:08:48.0	16.25	15.28	15.00	2MASS J0534379−050847
47	05:34:37.91	−05:13:32.3	14.46	13.93	13.63	2MASS J0534378−051332
48	05:34:38.00	−05:14:06.4	16.77	16.17	15.59	
49	05:34:38.08	−05:13:09.7	16.75	15.73	15.36	
50	05:34:38.13	−05:03:05.5	16.26	15.26	14.55	2MASS J0534381−050305
51	05:34:38.13	−05:04:57.9	12.30	11.70	11.40	2MASS J0534381−050458
52	05:34:38.16	−05:05:17.2	14.35	13.84	13.33	2MASS J0534381−050517
53	05:34:38.34	−05:01:26.0	15.26	14.24	13.90	2MASS J0534383−050125
54	05:34:38.39	−05:02:06.5	19.60	19.02	16.59	
55	05:34:38.49	−05:10:42.2	16.42	15.49	15.09	2MASS J0534384−051042
56	05:34:38.57	−05:04:19.5	15.73	14.78	14.54	2MASS J0534385−050419
57	05:34:38.58	−05:00:44.9	16.12	15.30	15.06	2MASS J0534385−050044
58	05:34:38.74	−05:04:05.7	15.72	15.18	14.72	2MASS J0534387−050405
59	05:34:38.86	−05:04:40.7	16.05	15.26	14.97	2MASS J0534388−050440
60	05:34:38.90	−05:02:36.6	13.65	12.91	12.69	2MASS J0534388−050236
61	05:34:38.90	−05:14:28.5	14.45	13.34	13.02	2MASS J0534388−051428
62	05:34:39.20	−05:04:52.9	16.44	15.01	14.03	
63	05:34:39.24	−05:01:48.9	13.81	13.24	12.83	
64	05:34:39.29	−05:00:47.1	14.62	13.94	13.73	2MASS J0534393−050046

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
65	05:34:39.35	−05:11:35.1	18.24	16.94	16.23	
66	05:34:39.38	−05:01:46.7	12.86	12.26	11.89	2MASS J0534393−050146
67	05:34:39.43	−05:03:43.7	18.09	16.93	16.05	
68	05:34:39.75	−05:03:06.2	12.95	12.16	11.95	2MASS J0534397−050306
69	05:34:39.78	−05:00:34.0	16.19	15.03	14.39	
70	05:34:39.86	−05:02:13.2	16.73	15.51	15.12	
71	05:34:39.88	−05:07:59.7	16.48	16.06	15.84	2MASS J0534398−050800
72	05:34:39.97	−05:04:08.8	15.91	15.03	14.80	2MASS J0534399−050408
73	05:34:39.98	−05:10:07.0	9.11 [†]	8.96 [†]	8.83 [†]	2MASS J0534399−051007
74	05:34:40.41	−05:07:53.2	15.85	15.43	15.21	2MASS J0534403−050753
75	05:34:40.64	−05:06:58.6	15.67	13.21	11.87	2MASS J0534406−050658
76	05:34:40.66	−05:12:24.5	15.10	14.49	14.20	2MASS J0534406−051224
77	05:34:40.73	−05:09:24.1	15.62	14.98	14.66	2MASS J0534407−050924
78	05:34:41.32	−05:01:19.6	15.36	14.34	14.03	2MASS J0534413−050119
79	05:34:41.53	−05:07:02.4	15.01	14.69	14.29	2MASS J0534415−050702
80	05:34:41.55	−05:02:25.2	16.34	15.58	15.37	2MASS J0534415−050225
81	05:34:41.84	−05:08:39.7	16.80	16.29	16.04	
82	05:34:42.01	−05:06:41.9	16.84	16.15	15.81	
83	05:34:42.03	−05:02:25.0	14.01	13.33	13.09	2MASS J0534420−050224
84	05:34:42.05	−05:04:31.8	13.95	13.23	12.52	2MASS J0534420−050431
85	05:34:42.28	−05:07:14.6	9.58 [†]	9.64 [†]	9.58 [†]	2MASS J0534422−050714
86	05:34:42.39	−05:04:00.0	17.78	16.83	16.44	
87	05:34:42.41	−05:12:38.2	13.22	12.40	12.13	2MASS J0534424−051238
88	05:34:42.42	−05:12:18.8	10.00 [†]	9.18 [†]	8.86 [†]	2MASS J0534424−051218
89	05:34:42.60	−05:03:16.2	15.96	15.19	15.00	2MASS J0534425−050316
90	05:34:42.69	−04:58:55.9	17.29	16.42	15.67	
91	05:34:43.09	−05:00:11.6	16.22	15.72	15.43	2MASS J0534430−050011
92	05:34:43.16	−05:13:33.8	17.65	16.72	16.31	
93	05:34:43.18	−05:01:57.9	16.91	15.87	15.66	
94	05:34:43.24	−05:07:28.3	16.44	15.86	15.77	
95	05:34:43.48	−05:14:42.5	15.40	14.09	13.84	2MASS J0534434−051442
96	05:34:43.50	−05:14:21.2	15.34	14.38	14.12	2MASS J0534434−051421
97	05:34:43.52	−05:01:26.3	17.11	16.33	16.06	
98	05:34:43.58	−05:06:24.5	16.37	15.81	15.53	2MASS J0534435−050624
99	05:34:43.65	−05:07:13.1	16.32	15.65	15.27	
100	05:34:43.88	−05:14:22.2	16.93	15.88	15.80	
101	05:34:43.89	−05:12:55.8	14.21	13.16	12.89	2MASS J0534438−051255
102	05:34:43.96	−04:59:33.4	13.48	12.80	12.58	2MASS J0534439−045933
103	05:34:44.08	−05:06:26.5	16.72	16.19	15.55	2MASS J0534440−050626
104	05:34:44.14	−04:59:10.1	17.36	16.20	15.70	
105	05:34:44.18	−05:06:43.2	13.93	13.30	13.12	2MASS J0534441−050643
106	05:34:44.48	−05:02:55.3	17.51	16.48	16.23	
107	05:34:44.57	−05:02:13.5	21.20	18.76	16.66	
108	05:34:44.90	−05:12:31.8	15.28	14.33	13.75	2MASS J0534448−051231
109	05:34:44.98	−05:06:49.5	11.74	11.25	10.75 [†]	2MASS J0534449−050649
110	05:34:45.07	−05:06:20.1	13.79	12.58	12.14	2MASS J0534450−050620
111	05:34:45.12	−05:14:06.1	14.57	13.46	12.91	2MASS J0534451−051406
112	05:34:45.14	−05:00:05.9	16.37	15.48	15.12	2MASS J0534451−050005
113	05:34:45.19	−05:10:47.6	12.21	11.43	11.04	2MASS J0534451−051047
114	05:34:45.33	−05:00:50.0	14.35	13.53	13.27	2MASS J0534453−050049
115	05:34:45.45	−05:02:07.9	12.27	11.58	11.33	2MASS J0534454−050207
116	05:34:45.53	−05:10:16.0	14.65	13.99	13.89	2MASS J0534455−051016
117	05:34:45.95	−05:04:14.3	17.53	16.73	16.56	
118	05:34:46.02	−05:08:58.1	16.53	15.63	15.31	2MASS J0534460−050858
119	05:34:46.08	−05:13:11.6	15.77	14.96	14.41	
120	05:34:46.35	−05:01:22.8	>21.62	>20.67	16.70	
121	05:34:46.60	−05:04:46.6	15.75	15.05	14.92	2MASS J0534465−050446
122	05:34:46.63	−05:10:40.4	12.05	11.47	11.32	2MASS J0534466−051040
123	05:34:46.79	−05:04:26.8	16.85	15.81	15.37	
124	05:34:46.82	−04:59:10.9	12.31	11.51	11.16	
125	05:34:46.91	−05:06:46.3	17.30	16.38	16.23	
126	05:34:46.94	−04:59:13.1	12.13	11.38	11.03	2MASS J0534469−045912
127	05:34:47.03	−05:08:12.4	17.18	16.51	16.19	
128	05:34:47.08	−05:00:22.3	16.68	15.78	15.51	2MASS J0534470−050022

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
129	05:34:47.09	−05:08:45.6	16.62	15.58	15.45	
130	05:34:47.68	−04:59:16.3	>21.51	19.94	16.71	
131	05:34:47.68	−04:59:33.3	13.65	13.00	12.75	2MASS J0534476−045933
132	05:34:47.85	−05:00:18.7	16.89	15.83	15.38	
133	05:34:47.96	−05:04:54.9	11.89	11.16	10.67 [†]	2MASS J0534479−050455
134	05:34:48.25	−05:10:39.0	16.00	15.32	15.27	2MASS J0534482−051038
135	05:34:48.26	−05:03:30.3	17.05	15.99	15.89	
136	05:34:48.28	−05:09:00.8	15.25	14.22	13.93	2MASS J0534482−050900
137	05:34:48.29	−05:07:13.5	12.83	12.16	12.02	2MASS J0534482−050713
138	05:34:48.42	−05:05:01.4	12.47	11.79	11.64	2MASS J0534484−050501
139	05:34:48.49	−05:01:52.3	17.57	15.92	15.67	
140	05:34:48.51	−05:07:11.0	13.30	12.70	12.51	2MASS J0534485−050710
141	05:34:48.77	−05:02:46.8	17.02	16.06	15.57	
142	05:34:48.98	−05:06:56.9	17.71	16.47	15.94	
143	05:34:49.17	−04:56:01.0	19.36	16.27	14.88	
144	05:34:49.18	−05:01:38.1	17.53	16.45	15.85	
145	05:34:49.22	−05:04:38.1	12.48	11.77	11.58	2MASS J0534492−050438
146	05:34:49.35	−05:11:53.5	17.21	16.09	15.70	
147	05:34:49.37	−04:59:38.2	16.61	15.70	15.35	2MASS J0534493−045937
148	05:34:49.49	−05:11:34.8	17.78	16.19	15.51	
149	05:34:49.58	−05:04:59.6	13.31	12.59	12.29	2MASS J0534495−050459
150	05:34:49.59	−05:11:18.0	17.13	16.19	16.01	
151	05:34:49.69	−05:07:07.4	17.62	16.23	15.83	
152	05:34:49.73	−05:00:03.0	15.27	14.71	14.55	2MASS J0534497−050003
153	05:34:50.04	−05:00:37.4	17.73	16.54	16.05	
154	05:34:50.04	−05:02:57.3	17.62	16.15	15.56	
155	05:34:50.11	−04:58:18.6	17.16	16.21	15.95	
156	05:34:50.15	−04:56:42.5	>21.50	>20.55	16.55	
157	05:34:50.15	−05:16:06.3	18.08	16.58	15.66	
158	05:34:50.27	−04:59:24.3	16.13	15.20	14.97	2MASS J0534502−045924
159	05:34:50.32	−05:15:04.7	17.00	15.84	15.23	
160	05:34:50.51	−05:11:10.5	11.80	11.21	11.09 [†]	2MASS J0534505−051110
161	05:34:50.56	−05:06:38.3	13.97	13.46	13.18	2MASS J0534505−050638
162	05:34:50.66	−05:04:07.8	12.66	11.88	11.60	2MASS J0534506−050407
163	05:34:50.73	−04:58:37.0	12.25	11.21	10.81 [†]	2MASS J0534507−045836
164	05:34:51.15	−04:55:48.4	17.44	15.28	14.48	
165	05:34:51.15	−05:12:32.2	13.73	12.80	12.41	2MASS J0534511−051232
166	05:34:51.31	−04:56:13.5	>21.24	19.75	15.07	
167	05:34:51.41	−05:00:11.4	13.20	12.46	12.20	2MASS J0534514−050011
168	05:34:51.43	−05:13:29.5	12.86	12.19	11.94	2MASS J0534514−051329
169	05:34:51.43	−05:14:40.3	19.83	17.94	16.40	
170	05:34:51.73	−05:08:18.8	16.44	15.34	15.01	2MASS J0534517−050818
171	05:34:51.77	−04:55:55.4	15.88	13.67	12.68	2MASS J0534517−045555
172	05:34:51.82	−04:58:28.9	>21.76	>20.81	17.72	
173	05:34:52.08	−04:58:24.1	17.44	16.24	15.82	
174	05:34:52.26	−05:12:03.2	13.10	12.36	12.17	2MASS J0534522−051203
175	05:34:52.40	−05:14:19.6	15.96	14.96	14.67	
176	05:34:52.61	−05:15:36.5	13.04	11.74	11.18	2MASS J0534526−051536
177	05:34:52.69	−05:10:32.7	16.37	15.19	14.92	2MASS J0534526−051032
178	05:34:52.76	−05:00:50.8	13.10	12.39	12.16	2MASS J0534527−050050
179	05:34:52.93	−05:15:19.5	16.47	15.34	14.64	
180	05:34:53.05	−05:03:27.0	12.01	11.40	10.73 [†]	2MASS J0534530−050327
181	05:34:53.13	−04:56:49.4	>21.49	>20.54	16.66	
182	05:34:53.43	−05:10:27.8	12.14	11.51	11.29	2MASS J0534534−051027
183	05:34:53.44	−04:57:32.8	13.38	12.52	12.29	2MASS J0534534−045732
184	05:34:53.53	−05:11:52.2	15.73	14.47	13.91	
185	05:34:53.56	−05:02:55.1	18.17	16.64	16.21	
186	05:34:53.56	−05:03:47.5	17.97	16.68	16.06	
187	05:34:53.63	−05:01:29.0	14.32	13.71	13.38	2MASS J0534536−050129
188	05:34:53.64	−05:02:02.6	14.91	13.84	13.55	2MASS J0534536−050202
189	05:34:53.65	−05:04:47.3	17.23	15.87	15.15	
190	05:34:53.71	−04:59:13.8	17.92	16.74	16.23	
191	05:34:53.73	−05:05:48.8	13.25	12.61	12.39	2MASS J0534537−050548
192	05:34:53.80	−05:12:24.2	16.58	15.98	15.45	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
193	05:34:53.87	−04:56:22.4	12.43	11.42	10.99 [†]	2MASS J0534538−045622
194	05:34:53.89	−05:07:55.4	16.98	15.72	15.13	
195	05:34:53.96	−04:56:15.7	17.30	16.14	15.52	
196	05:34:54.16	−05:11:21.9	18.74	16.88	16.42	
197	05:34:54.58	−04:56:05.4	12.17	11.15	10.54 [†]	2MASS J0534545−045605
198	05:34:54.82	−05:10:12.6	16.77	16.42	15.40	
199	05:34:54.90	−05:02:43.6	17.07	16.02	15.16	
200	05:34:54.92	−05:01:28.4	18.00	16.94	16.22	
201	05:34:54.93	−05:02:21.2	12.13	11.52	11.25 [†]	2MASS J0534549−050220
202	05:34:55.00	−04:55:37.6	>21.40	17.64	16.16	
203	05:34:55.11	−05:17:45.5	>21.00	15.65	14.57	
204	05:34:55.23	−05:15:58.4	18.36	15.43	14.73	
205	05:34:55.32	−04:56:59.6	14.37	13.70	13.49	2MASS J0534553−045659
206	05:34:55.35	−05:09:25.5	16.80	15.62	15.08	
207	05:34:55.38	−05:13:51.9	17.57	16.27	16.04	
208	05:34:55.40	−05:16:00.9	17.33	14.97	14.29	
209	05:34:55.42	−05:01:39.5	12.51	11.71	11.55	2MASS J0534554−050139
210	05:34:55.49	−05:11:15.1	17.97	16.48	15.95	
211	05:34:55.49	−05:12:59.3	18.24	16.79	16.14	
212	05:34:55.61	−05:12:34.9	19.06	16.89	16.45	
213	05:34:55.64	−05:06:30.3	18.14	16.82	15.94	
214	05:34:55.67	−04:56:12.0	12.39	11.10	10.26 [†]	2MASS J0534556−045611
215	05:34:55.81	−04:58:17.1	18.87	17.40	16.07	
216	05:34:55.86	−05:07:30.0	16.89	15.81	15.31	2MASS J0534558−050730
217	05:34:55.87	−05:08:21.2	12.84	11.96	11.74	2MASS J0534558−050821
218	05:34:55.91	−05:15:47.8	17.79	16.53	16.54	
219	05:34:56.10	−05:00:55.2	12.73	11.94	11.74	2MASS J0534561−050055
220	05:34:56.13	−05:06:01.8	12.53	11.93	11.64	2MASS J0534561−050601
221	05:34:56.17	−05:09:25.4	15.00	14.08	13.76	2MASS J0534561−050925
222	05:34:56.18	−05:05:06.6	18.32	17.51	16.73	
223	05:34:56.36	−05:08:04.8	17.90	16.21	15.85	
224	05:34:56.38	−05:15:28.3	18.30	15.76	15.13	
225	05:34:56.54	−05:01:07.2	14.35	13.54	13.10	2MASS J0534565−050107
226	05:34:56.63	−05:11:12.4	13.56	12.53	12.04	2MASS J0534566−051112
227	05:34:56.66	−05:11:03.3	17.17	15.50	15.00	
228	05:34:56.67	−05:14:52.3	14.94	13.83	13.25	2MASS J0534566−051452
229	05:34:56.72	−05:13:56.9	15.95	14.89	14.35	
230	05:34:56.77	−05:09:58.5	14.10	12.99	12.58	2MASS J0534567−050958
231	05:34:56.78	−05:10:43.8	13.46	12.57	12.31	2MASS J0534567−051043
232	05:34:56.82	−05:11:33.0	10.92 [†]	10.19 [†]	9.69 [†]	2MASS J0534568−051132
233	05:34:56.95	−04:54:36.0	18.24	15.22	13.64	
234	05:34:57.07	−05:00:55.9	18.23	16.87	16.20	
235	05:34:57.16	−05:01:35.5	17.63	16.47	16.15	
236	05:34:57.18	−05:07:16.8	16.06	14.95	14.55	2MASS J0534571−050716
237	05:34:57.20	−05:08:23.9	12.08	11.36	11.01	2MASS J0534571−050823
238	05:34:57.31	−05:02:50.8	18.42	16.50	15.68	
239	05:34:57.32	−05:04:00.2	18.59	16.98	16.58	
240	05:34:57.38	−05:14:33.5	13.44	12.30	11.81	2MASS J0534573−051433
241	05:34:57.46	−04:56:45.5	14.40	12.51	11.63	2MASS J0534574−045645
242	05:34:57.61	−04:54:33.3	>21.31	17.55	16.12	
243	05:34:57.63	−05:06:25.4	18.46	16.91	15.81	
244	05:34:57.68	−05:12:29.7	14.35	12.89	12.34	2MASS J0534576−051229
245	05:34:57.71	−04:57:20.0	17.98	14.82	12.83	
246	05:34:57.89	−05:08:42.7	16.78	15.85	15.67	2MASS J0534579−050842
247	05:34:58.03	−05:06:25.9	17.84	16.33	15.51	
248	05:34:58.03	−05:16:01.9	14.60	13.09	12.29	2MASS J0534580−051601
249	05:34:58.05	−05:17:37.5	12.61	11.48	11.08	2MASS J0534580−051737
250	05:34:58.15	−05:07:12.4	16.88	15.66	15.18	
251	05:34:58.19	−05:09:27.5	12.26	11.51	11.16	2MASS J0534581−050927
252	05:34:58.19	−05:11:53.7	12.61	11.98	11.71	2MASS J0534581−051153
253	05:34:58.21	−05:00:13.2	17.50	16.38	16.37	
254	05:34:58.24	−04:54:04.3	17.28	14.71	13.71	2MASS J0534582−045404
255	05:34:58.49	−05:07:48.2	15.88	14.84	14.39	2MASS J0534584−050748
256	05:34:58.69	−05:12:21.6	16.74	16.10	15.76	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
257	05:34:58.69	−05:12:26.1	14.04	13.44	13.14	2MASS J0534586−051226
258	05:34:58.83	−05:15:35.7	17.70	16.75	15.95	
259	05:34:58.84	−05:17:01.1	15.45	14.57	13.53	
260	05:34:58.93	−05:13:45.4	13.72	12.43	11.86	2MASS J0534589−051345
261	05:34:58.93	−05:16:13.3	16.56	15.57	14.35	
262	05:34:59.08	−04:57:34.0	18.61	16.82	16.43	
263	05:34:59.21	−05:17:39.9	16.81	15.72	15.21	
264	05:34:59.31	−05:05:30.0	12.37	11.63	11.24	2MASS J0534593−050530
265	05:34:59.32	−05:06:06.9	16.43	15.37	14.94	2MASS J0534593−050606
266	05:34:59.43	−04:57:37.1	18.58	16.59	15.83	
267	05:34:59.67	−05:02:54.4	18.54	16.60	15.66	
268	05:34:59.88	−04:55:27.1	17.03	13.89	12.46	2MASS J0534598−045527
269	05:34:59.99	−05:10:41.0	17.01	15.79	15.18	
270	05:35:00.19	−05:00:09.4	17.99	16.78	16.57	
271	05:35:00.24	−05:15:58.9	14.06	12.81	12.19	2MASS J0535002−051558
272	05:35:00.25	−04:56:08.8	14.34	13.12	12.57	2MASS J0535002−045608
273	05:35:00.34	−05:00:59.6	19.74	17.68	16.81	
274	05:35:00.40	−05:09:44.0	13.72	13.01	12.72	2MASS J0535003−050944
275	05:35:00.41	−05:09:54.5	16.98	16.25	15.78	
276	05:35:00.44	−05:15:21.7	18.69	16.69	16.01	
277	05:35:00.64	−04:58:53.5	15.90	15.10	14.75	2MASS J0535006−045853
278	05:35:00.67	−05:05:08.6	10.07 [†]	9.95 [†]	9.89 [†]	2MASS J0535006−050508
279	05:35:00.73	−05:11:27.6	16.60	14.95	14.48	
280	05:35:00.86	−05:09:39.1	12.99	12.28	12.07	2MASS J0535008−050938
281	05:35:00.87	−05:09:16.0	17.51	16.59	16.63	
282	05:35:00.91	−05:05:40.1	15.84	15.25	14.94	2MASS J0535009−050540
283	05:35:01.05	−05:05:33.5	15.50	14.90	14.55	2MASS J0535010−050533
284	05:35:01.30	−05:06:32.9	17.06	16.08	15.75	
285	05:35:01.32	−04:55:57.0	14.34	13.25	12.82	2MASS J0535013−045557
286	05:35:01.39	−04:56:32.6	16.47	15.62	15.11	2MASS J0535013−045632
287	05:35:01.43	−05:09:32.7	12.17	11.48	11.24	2MASS J0535014−050932
288	05:35:01.50	−05:11:04.1	13.77	12.69	12.18	2MASS J0535014−051104
289	05:35:01.63	−04:56:46.2	18.78	16.41	15.23	
290	05:35:01.93	−05:00:43.3	14.50	13.72	13.52	2MASS J0535019−050043
291	05:35:02.10	−05:15:37.5	12.69	11.93	11.77	2MASS J0535020−051537
292	05:35:02.18	−05:04:38.4	13.77	12.99	12.65	2MASS J0535021−050438
293	05:35:02.38	−05:15:47.9	9.32 [†]	8.32 [†]	7.91 [†]	2MASS J0535023−051547
294	05:35:02.64	−04:54:17.3	16.84	14.89	13.89	2MASS J0535026−045417
295	05:35:02.64	−05:09:59.1	15.53	14.44	14.07	2MASS J0535026−050959
296	05:35:02.66	−04:56:42.8	18.07	16.37	15.06	
297	05:35:02.67	−04:58:18.3	19.53	18.16	16.27	
298	05:35:02.73	−05:08:53.9	18.38	16.93	16.09	
299	05:35:02.75	−05:00:03.0	12.24	11.18	10.64 [†]	2MASS J0535027−050002
300	05:35:02.89	−05:03:03.7	15.82	15.06	14.76	2MASS J0535028−050303
301	05:35:02.90	−04:54:30.2	20.83	16.27	13.64	
302	05:35:02.99	−04:57:04.0	14.05	13.33	13.16	2MASS J0535029−045703
303	05:35:03.04	−04:59:59.9	12.57	11.85	11.66	2MASS J0535030−045959
304	05:35:03.07	−05:13:54.4	13.32	11.84	11.07	2MASS J0535030−051354
305	05:35:03.12	−05:09:17.1	13.14	12.28	12.05	2MASS J0535031−050917
306	05:35:03.24	−05:17:53.1	12.89	12.44	11.51	2MASS J0535032−051753
307	05:35:03.25	−05:17:26.2	15.11	13.82	12.80	
308	05:35:03.34	−05:16:22.7	14.02	12.38	11.56	2MASS J0535033−051622
309	05:35:03.35	−04:56:43.0	12.36	11.59	11.34	2MASS J0535033−045643
310	05:35:03.37	−05:08:53.8	13.41	12.09	11.66	2MASS J0535033−050853
311	05:35:03.40	−05:05:40.3	9.14 [†]	8.95 [†]	8.90 [†]	2MASS J0535034−050540
312	05:35:03.40	−05:16:45.1	19.92	18.68	16.13	
313	05:35:03.59	−05:16:00.4	14.38	13.40	12.87	2MASS J0535035−051600
314	05:35:03.65	−05:13:10.4	15.17	13.39	12.60	2MASS J0535036−051310
315	05:35:03.85	−05:07:49.0	16.96	15.83	15.52	
316	05:35:04.08	−05:17:42.8	17.18	15.47	14.68	
317	05:35:04.20	−05:15:21.4	13.70	12.64	12.35	2MASS J0535042−051521
318	05:35:04.29	−05:13:13.9	17.78	17.15	15.34	
319	05:35:04.30	−05:08:12.6	8.19 [†]	7.52 [†]	7.34 [†]	2MASS J0535042−050812
320	05:35:04.38	−05:01:15.4	16.24	14.48	13.68	2MASS J0535043−050115

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
321	05:35:04.38	−05:08:16.7	<10.05	<10.01	<9.56	2MASS J0535044−045715
322	05:35:04.40	−04:57:15.4	14.73	13.80	13.43	
323	05:35:04.40	−05:07:35.6	14.81	13.67	13.09	
324	05:35:04.60	−04:56:45.4	>21.87	>20.93	16.99	
325	05:35:04.62	−04:58:29.0	13.43	12.10	11.01 [†]	2MASS J0535046−045829
326	05:35:04.63	−05:09:55.7	11.32	10.74 [†]	10.45 [†]	2MASS J0535046−050955
327	05:35:04.64	−04:54:02.5	15.85	14.30	13.56	2MASS J0535046−045402
328	05:35:04.70	−05:01:50.9	17.50	16.04	16.11	2MASS J0535047−051742
329	05:35:04.78	−05:17:41.9	11.49	10.11 [†]	9.34 [†]	
330	05:35:05.10	−04:53:51.4	18.10	16.05	14.91	
331	05:35:05.20	−05:14:50.2	8.23 [†]	7.71 [†]	7.38 [†]	
332	05:35:05.21	−05:03:39.8	19.48	17.22	16.26	2MASS J0535051−051450
333	05:35:05.45	−04:57:05.5	20.56	16.77	14.57	
334	05:35:05.48	−04:54:34.6	19.85	18.29	16.83	
335	05:35:05.61	−05:11:50.5	12.90	11.46	10.86 [†]	
336	05:35:05.68	−04:58:53.9	11.99	11.30	11.04	2MASS J0535056−045853
337	05:35:05.68	−05:02:40.1	17.54	15.96	15.27	2MASS J0535056−045833
338	05:35:05.70	−04:58:33.4	15.95	13.51	12.46	
339	05:35:05.74	−05:11:35.0	12.94	11.46	10.83 [†]	
340	05:35:05.78	−04:55:36.2	19.76	17.02	15.38	
341	05:35:05.88	−05:08:38.2	15.06	14.00	13.46	2MASS J0535058−050838
342	05:35:06.06	−05:03:19.0	17.19	15.81	15.23	2MASS J0535061−051425
343	05:35:06.10	−05:14:24.9	13.28	12.14	11.50	
344	05:35:06.19	−05:12:15.8	8.09 [†]	8.22 [†]	8.21 [†]	
345	05:35:06.34	−04:58:41.6	14.08	13.46	13.27	
346	05:35:06.37	−05:03:02.5	16.23	14.80	14.28	2MASS J0535063−045841
347	05:35:06.50	−05:17:22.2	14.39	12.66	11.67	2MASS J0535063−050302
348	05:35:06.72	−05:11:45.3	13.91	12.43	11.75	2MASS J0535067−051145
349	05:35:06.73	−05:16:46.4	16.89	15.31	14.13	
350	05:35:06.83	−05:10:38.4	12.56	11.81	11.61	
351	05:35:06.86	−05:11:50.0	15.84	14.91	14.23	
352	05:35:06.88	−05:11:33.0	17.78	15.82	14.77	2MASS J0535068−051038
353	05:35:06.97	−04:57:04.2	18.48	15.25	13.59	
354	05:35:07.02	−05:01:34.8	17.68	16.86	16.16	
355	05:35:07.04	−04:54:56.7	12.80	11.95	11.84	
356	05:35:07.13	−04:55:50.7	14.66	13.18	12.61	2MASS J0535070−045456
357	05:35:07.16	−04:55:43.2	19.38	17.23	15.15	2MASS J0535071−045550
358	05:35:07.40	−05:07:38.0	17.37	15.56	14.62	2MASS J0535075−051114
359	05:35:07.54	−05:11:14.5	12.31	11.32	10.70 [†]	
360	05:35:07.75	−05:04:55.4	17.43	15.87	15.64	
361	05:35:07.79	−05:01:19.3	16.23	15.27	14.80	
362	05:35:07.83	−05:02:43.7	17.37	15.91	15.64	2MASS J0535077−050119
363	05:35:07.85	−05:10:06.7	16.79	15.72	15.21	
364	05:35:07.88	−05:17:05.4	13.99	12.98	12.14	
365	05:35:08.23	−04:54:10.2	14.57	11.91	10.28 [†]	
366	05:35:08.37	−05:16:20.5	14.19	13.21	12.49	2MASS J0535082−045410
367	05:35:08.38	−05:16:25.0	>21.73	>20.78	17.45	
368	05:35:08.45	−05:07:13.5	14.37	13.13	12.71	
369	05:35:08.48	−05:03:48.5	18.74	16.64	15.92	
370	05:35:08.60	−05:09:30.3	17.51	15.57	14.78	2MASS J0535084−050713
371	05:35:08.64	−05:16:47.6	14.83	13.64	12.52	
372	05:35:08.67	−05:16:13.3	16.30	13.73	11.79	
373	05:35:08.68	−04:59:33.2	19.66	17.98	16.78	
374	05:35:08.69	−04:54:41.2	17.32	15.82	14.83	2MASS J0535087−050440
375	05:35:08.69	−05:17:30.6	>20.98	16.59	14.18	
376	05:35:08.75	−05:04:40.8	12.81	11.61	11.44	
377	05:35:08.83	−05:17:05.9	15.54	13.94	12.59	
378	05:35:08.95	−05:05:52.5	9.05 [†]	7.91 [†]	7.41 [†]	2MASS J0535089−050552
379	05:35:08.96	−05:10:25.8	14.54	13.83	13.74	2MASS J0535089−051025
380	05:35:09.09	−05:10:09.7	17.39	15.81	15.31	2MASS J0535091−050647
381	05:35:09.14	−05:16:44.2	16.43	14.36	12.63	
382	05:35:09.15	−05:06:47.1	11.24	10.57 [†]	10.33 [†]	
383	05:35:09.19	−05:16:51.7	14.62	13.31	12.14	
384	05:35:09.24	−05:10:22.6	18.20	16.59	16.13	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
385	05:35:09.28	−05:16:55.7	13.82	12.76	11.96	
386	05:35:09.38	−04:55:13.6	>21.53	>20.58	16.21	
387	05:35:09.45	−05:16:53.3	14.19	13.14	12.15	
388	05:35:09.46	−04:57:11.7	13.92	13.11	12.51	2MASS J0535094−045711
389	05:35:09.49	−04:59:41.4	12.94	12.24	11.85	2MASS J0535094−045941
390	05:35:09.54	−05:14:45.8	>21.13	15.94	14.78	
391	05:35:09.82	−04:53:52.6	17.07	14.95	13.66	
392	05:35:09.83	−04:56:19.4	19.33	17.22	15.26	
393	05:35:09.88	−04:58:49.5	16.45	13.22	11.51	
394	05:35:09.96	−05:14:50.1	14.42	13.50	12.99	2MASS J0535099−051450
395	05:35:10.01	−05:14:57.3	16.57	15.74	15.00	
396	05:35:10.05	−05:16:22.9	17.50	15.35	14.58	
397	05:35:10.09	−05:17:06.8	14.68	12.98	11.84	
398	05:35:10.11	−05:16:16.9	17.08	15.06	14.06	
399	05:35:10.28	−05:03:05.0	16.85	14.99	14.16	
400	05:35:10.30	−05:17:19.9	21.61	16.60	14.72	
401	05:35:10.38	−04:54:41.2	15.93	15.26	15.31	2MASS J0535103−045441
402	05:35:10.53	−04:58:46.0	>21.08	13.84	<10.45	
403	05:35:10.73	−05:08:16.8	16.11	14.32	13.14	
404	05:35:10.79	−05:10:34.4	12.46	11.11	10.41 [†]	2MASS J0535107−051034
405	05:35:10.83	−05:17:33.2	15.09	13.40	11.99	
406	05:35:10.85	−04:55:42.6	17.33	15.75	14.36	
407	05:35:10.97	−04:56:39.7	16.85	14.71	13.33	2MASS J0535109−045639
408	05:35:11.00	−05:15:21.8	15.99	13.39	11.13	
409	05:35:11.11	−05:16:01.8	16.30	14.38	13.16	
410	05:35:11.12	−04:54:14.9	20.13	17.13	16.00	
411	05:35:11.16	−04:55:28.0	18.16	15.46	14.00	
412	05:35:11.18	−04:55:38.1	17.86	15.89	14.60	
413	05:35:11.23	−05:17:20.8	12.30	<10.55	<9.22	
414	05:35:11.24	−05:17:42.3	16.28	14.89	13.96	
415	05:35:11.34	−05:14:01.6	13.80	12.80	12.37	2MASS J0535113−051401
416	05:35:11.41	−05:17:46.5	15.12	13.23	11.72	
417	05:35:11.45	−05:05:16.2	16.20	14.94	14.28	2MASS J0535114−050516
418	05:35:11.50	−05:17:57.3	15.42	12.56	<10.52	
419	05:35:11.63	−05:16:57.6	9.56 [†]	8.94 [†]	8.70 [†]	2MASS J0535116−051657
420	05:35:11.76	−05:16:52.0	14.16	13.20	12.99	
421	05:35:11.79	−04:54:21.5	16.06	14.37	13.56	2MASS J0535118−045421
422	05:35:11.81	−05:03:30.2	14.54	13.07	12.51	2MASS J0535118−050330
423	05:35:11.87	−05:01:56.0	17.30	15.91	14.93	
424	05:35:11.87	−05:17:25.9	13.55	11.89	11.81 [†]	2MASS J0535118−051725
425	05:35:11.89	−05:00:00.9	>21.66	>20.71	16.69	
426	05:35:12.05	−05:14:14.7	13.93	13.47	13.41	2MASS J0535120−051414
427	05:35:12.13	−05:03:48.4	18.26	16.44	15.59	
428	05:35:12.17	−05:14:30.1	17.18	15.93	15.10	
429	05:35:12.30	−05:04:26.4	18.51	16.27	14.99	
430	05:35:12.31	−05:17:50.0	15.74	13.99	12.49	
431	05:35:12.51	−05:16:26.3	>21.04	15.79	13.45	
432	05:35:12.52	−04:57:13.7	15.07	13.13	12.35	2MASS J0535125−045713
433	05:35:12.55	−04:56:01.9	17.49	14.20	12.28	
434	05:35:12.57	−05:16:33.2	13.87	11.40	9.90 [†]	2MASS J0535125−051633
435	05:35:12.69	−04:54:02.6	16.76	14.12	12.24	
436	05:35:12.69	−04:56:00.7	17.45	14.20	12.24	
437	05:35:12.69	−05:02:26.5	18.55	16.65	15.69	
438	05:35:12.70	−05:12:00.7	14.17	13.53	13.20	2MASS J0535127−051200
439	05:35:12.70	−05:12:28.8	16.43	14.95	13.78	
440	05:35:12.72	−05:16:13.4	12.60	11.91	11.67	2MASS J0535127−051613
441	05:35:12.73	−05:15:43.2	14.67	14.05	13.33	
442	05:35:12.74	−05:16:52.7	11.37	10.18 [†]	9.62 [†]	2MASS J0535127−051652
443	05:35:12.81	−05:01:46.3	13.92	13.27	13.01	2MASS J0535128−050146
444	05:35:12.82	−05:15:23.9	11.65	10.72 [†]	10.39 [†]	2MASS J0535128−051524
445	05:35:12.87	−05:15:48.7	14.82	14.35	13.71	
446	05:35:12.95	−05:02:08.7	14.42	13.76	13.42	2MASS J0535129−050208
447	05:35:12.97	−05:07:47.5	>21.67	19.58	17.14	
448	05:35:13.03	−05:00:26.1	>20.99	16.97	14.43	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
449	05:35:13.10	−04:55:52.3	12.98	11.00	9.29 [†]	2MASS J0535131−045552
450	05:35:13.11	−05:15:26.3	13.27	12.60	12.27	
451	05:35:13.19	−05:17:30.6	15.22	12.86	<10.88	
452	05:35:13.32	−05:09:19.5	12.06	11.35	11.19	2MASS J0535133−050919
453	05:35:13.41	−04:54:21.2	18.16	17.42	17.41	
454	05:35:13.47	−05:17:10.5	11.49	10.39 [†]	9.93 [†]	2MASS J0535134−051710
455	05:35:13.48	−05:05:51.3	19.09	17.51	16.51	
456	05:35:13.52	−05:17:31.4	13.14	11.45	11.16 [†]	2MASS J0535135−051731
457	05:35:13.53	−05:17:17.6	13.24	12.09	11.61	2MASS J0535135−051717
458	05:35:13.59	−05:17:45.9	17.34	14.23	11.40	
459	05:35:13.64	−05:14:22.2	15.74	15.02	15.15	2MASS J0535136−051421
460	05:35:13.86	−04:58:03.5	15.58	13.12	11.93	2MASS J0535138−045803
461	05:35:13.92	−04:53:58.4	>22.11	>21.16	16.97	
462	05:35:13.92	−05:18:53.2	13.57	12.89	11.55 [†]	2MASS J0535139−051853
463	05:35:13.96	−05:18:44.9	17.30	14.14	12.54	
464	05:35:14.04	−05:18:48.9	14.74	12.62	11.41	
465	05:35:14.06	−05:04:06.1	20.01	17.14	16.13	
466	05:35:14.19	−05:02:01.7	18.49	16.75	16.20	
467	05:35:14.22	−05:14:27.8	14.86	12.95	11.82	2MASS J0535142−051427
468	05:35:14.29	−05:13:40.7	16.51	14.52	13.22	2MASS J0535143−051340
469	05:35:14.29	−05:18:21.2	15.92	13.89	12.65	
470	05:35:14.38	−04:55:22.0	12.86	11.75	11.28	2MASS J0535143−045522
471	05:35:14.46	−04:55:24.7	13.08	11.87	11.28	
472	05:35:14.47	−05:17:25.6	12.36	11.19 [†]	10.73 [†]	2MASS J0535144−051725
473	05:35:14.47	−05:17:40.5	17.03	16.74	17.11	
474	05:35:14.47	−05:18:24.8	15.56	12.67	11.40	
475	05:35:14.64	−05:02:25.0	12.82	11.76	11.26	
476	05:35:14.64	−05:16:46.3	13.04	12.18	11.70	2MASS J0535146−051646
477	05:35:14.65	−05:06:25.3	14.38	13.25	12.72	2MASS J0535146−050625
478	05:35:14.68	−05:03:12.7	12.59	11.74	11.59	2MASS J0535146−050312
479	05:35:14.68	−05:08:52.1	12.80	12.21	12.06	2MASS J0535146−050852
480	05:35:14.69	−05:06:22.3	16.54	15.36	14.75	
481	05:35:14.70	−05:16:52.4	>21.78	>20.83	15.54	
482	05:35:14.70	−05:18:43.3	16.54	12.58	11.31	
483	05:35:14.73	−05:02:27.9	13.14	11.86	11.26	
484	05:35:14.74	−05:14:00.5	15.62	13.84	12.81	2MASS J0535147−051400
485	05:35:14.77	−05:14:15.1	>21.52	17.51	16.32	
486	05:35:14.82	−05:18:30.6	16.91	13.79	12.84	
487	05:35:14.86	−05:06:48.9	16.90	14.54	13.39	
488	05:35:14.88	−05:17:53.7	>21.93	17.99	17.32	
489	05:35:14.89	−05:07:47.7	13.91	13.20	12.77	2MASS J0535148−050747
490	05:35:14.91	−05:03:21.5	18.22	17.33	16.67	
491	05:35:14.97	−04:56:08.3	>20.86	15.86	13.61	
492	05:35:14.99	−04:56:04.6	>21.05	15.12	13.22	
493	05:35:15.00	−05:16:49.6	17.22	17.26	15.28	
494	05:35:15.05	−05:00:08.2	17.21	15.86	14.10	
495	05:35:15.05	−05:16:39.5	18.01	14.75	13.19	
496	05:35:15.07	−05:06:53.8	15.83	13.59	12.47	2MASS J0535150−050653
497	05:35:15.08	−04:58:08.6	17.57	15.96	14.84	
498	05:35:15.26	−05:00:33.4	13.45	12.73	12.52	2MASS J0535152−050033
499	05:35:15.29	−05:15:48.2	14.39	13.62	13.06	
500	05:35:15.33	−05:13:15.5	>21.70	>20.75	16.21	
501	05:35:15.33	−05:13:38.2	13.49	12.61	12.46	
502	05:35:15.34	−04:57:46.1	16.76	14.82	13.82	
503	05:35:15.36	−05:02:50.6	17.91	15.53	14.16	
504	05:35:15.37	−05:19:02.1	12.68	11.36	11.07	
505	05:35:15.44	−05:16:00.3	17.74	16.47	14.78	
506	05:35:15.46	−05:17:39.1	12.36	<10.73	<9.51	
507	05:35:15.47	−05:00:11.4	18.15	17.32	15.60	
508	05:35:15.47	−05:01:12.5	14.47	13.70	13.41	2MASS J0535154−050112
509	05:35:15.53	−05:17:36.5	12.37	<10.83	<9.66	
510	05:35:15.54	−05:08:58.9	15.96	15.32	15.19	2MASS J0535155−050858
511	05:35:15.55	−05:01:43.8	13.73	12.56	12.05	2MASS J0535155−050143
512	05:35:15.57	−05:07:28.6	19.08	18.06	16.34	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
513	05:35:15.59	−05:09:51.2	13.41	12.23	11.60	2MASS J0535155−050951
514	05:35:15.60	−04:59:27.9	14.60	12.70	11.47	2MASS J0535156−045927
515	05:35:15.61	−05:05:50.6	17.46	14.93	13.11	
516	05:35:15.62	−05:09:31.9	13.93	13.35	13.11	2MASS J0535156−050931
517	05:35:15.64	−04:57:13.9	13.30	12.40	12.15	2MASS J0535156−045713
518	05:35:15.65	−05:06:12.5	16.51	15.62	13.29	
519	05:35:15.69	−05:17:47.3	12.63	<10.65	<9.50	
520	05:35:15.78	−05:15:27.6	20.48	18.42	17.29	
521	05:35:15.79	−05:16:42.3	18.60	17.62	15.42	
522	05:35:15.80	−05:12:26.4	18.38	15.20	13.88	
523	05:35:15.82	−05:03:26.1	13.84	13.11	12.72	2MASS J0535158−050326
524	05:35:15.84	−05:00:36.3	12.27	11.80	11.75	2MASS J0535158−050036
525	05:35:15.86	−04:57:11.3	13.99	13.13	12.77	2MASS J0535158−045711
526	05:35:15.89	−05:06:54.3	18.88	17.06	16.37	
527	05:35:15.93	−05:06:13.6	16.80	15.91	13.75	
528	05:35:15.96	−05:14:59.1	11.58	11.15	<10.72	
529	05:35:15.97	−05:16:57.6	12.57	11.55	11.07	
530	05:35:16.14	−05:15:48.4	14.76	14.40	14.12	
531	05:35:16.17	−05:00:02.5	16.16	13.57	11.77	
532	05:35:16.17	−05:09:19.1	12.94	12.27	12.11	2MASS J0535161−050919
533	05:35:16.19	−05:14:13.3	16.81	14.88	13.80	
534	05:35:16.20	−05:19:02.9	15.75	13.18	11.98	
535	05:35:16.21	−05:19:06.8	15.89	13.35	12.37	
536	05:35:16.29	−04:57:36.0	19.85	16.59	15.31	
537	05:35:16.31	−05:17:44.3	13.96	12.21	11.03	
538	05:35:16.34	−05:15:38.1	12.03	11.27	<10.74	
539	05:35:16.35	−05:04:36.4	14.85	14.13	13.82	2MASS J0535163−050436
540	05:35:16.37	−05:18:09.0	15.50	12.70	11.49	
541	05:35:16.41	−04:58:02.0	13.25	12.54	12.35	2MASS J0535164−045802
542	05:35:16.42	−04:56:53.1	19.40	17.61	16.45	
543	05:35:16.44	−04:58:07.0	13.41	12.59	12.34	2MASS J0535164−045807
544	05:35:16.48	−05:06:00.6	15.32	14.60	12.86	
545	05:35:16.49	−04:57:17.4	18.77	16.53	15.41	
546	05:35:16.51	−05:03:30.4	12.42	11.72	11.35	2MASS J0535164−050330
547	05:35:16.51	−05:17:47.3	14.55	12.73	11.65	
548	05:35:16.61	−05:16:20.6	15.72	14.19	13.36	
549	05:35:16.63	−05:17:23.5	13.12	11.10	<9.77	
550	05:35:16.74	−05:18:44.8	15.29	13.38	11.64	
551	05:35:16.78	−05:17:16.9	13.43	12.47	11.91	
552	05:35:16.79	−05:07:27.3	14.89	14.41	14.01	2MASS J0535167−050727
553	05:35:16.80	−05:14:47.4	15.61	14.58	13.92	
554	05:35:16.80	−05:16:53.3	13.60	12.79	12.42	
555	05:35:16.80	−05:19:01.1	13.95	11.40	<10.03	
556	05:35:16.86	−05:07:47.8	13.77	12.81	12.32	2MASS J0535168−050747
557	05:35:16.89	−05:15:09.2	16.05	14.15	12.96	
558	05:35:16.91	−05:17:03.0	13.40	11.73	<10.80	
559	05:35:16.94	−05:18:41.0	15.50	12.81	11.38	
560	05:35:17.01	−05:17:32.1	14.92	13.67	13.34	
561	05:35:17.02	−05:15:44.3	12.50	11.64	11.01	
562	05:35:17.07	−05:17:29.0	15.03	13.79	13.87	
563	05:35:17.12	−05:19:00.7	14.91	12.38	<10.87	
564	05:35:17.13	−05:18:13.7	>21.68	>20.73	14.59	
565	05:35:17.14	−04:58:06.1	16.48	14.91	14.06	2MASS J0535171−045806
566	05:35:17.15	−04:57:47.1	15.14	14.47	14.17	2MASS J0535171−045747
567	05:35:17.15	−05:12:39.4	13.51	12.89	12.78	
568	05:35:17.15	−05:18:06.5	>21.67	18.80	13.47	
569	05:35:17.38	−05:12:29.6	13.70	13.08	12.93	
570	05:35:17.42	−04:59:57.0	17.47	14.64	12.89	
571	05:35:17.42	−05:05:00.9	>21.57	19.73	17.19	
572	05:35:17.43	−05:17:12.5	16.56	15.63	15.02	
573	05:35:17.45	−05:16:57.0	14.42	13.61	13.12	
574	05:35:17.50	−05:09:49.1	13.34	12.70	12.47	2MASS J0535174−050949
575	05:35:17.50	−05:16:50.0	19.02	18.79	16.76	
576	05:35:17.51	−05:18:22.5	16.02	12.73	<10.90	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
577	05:35:17.54	−05:17:40.1	<10.79	<9.46	<8.53	
578	05:35:17.56	−05:16:13.0	12.56	11.22	<10.60	
579	05:35:17.57	−05:19:28.9	13.53	11.07	<10.16	
580	05:35:17.61	−05:18:32.6	15.01	12.13	<10.92	
581	05:35:17.62	−05:16:41.1	16.84	16.39	16.31	
582	05:35:17.67	−05:16:55.2	17.10	16.17	15.64	
583	05:35:17.71	−05:03:08.9	20.58	17.33	15.93	
584	05:35:17.73	−05:00:30.9	15.07	12.86	11.55	2MASS J0535177−050031
585	05:35:17.79	−05:16:15.7	11.94	<10.65	<9.97	
586	05:35:17.82	−05:19:28.1	14.11	11.75	<10.82	
587	05:35:17.83	−04:55:17.2	16.98	14.51	13.14	
588	05:35:17.91	−05:17:56.0	14.61	12.86	11.84	
589	05:35:17.91	−05:18:35.2	13.54	<10.59	<9.54	
590	05:35:17.92	−05:15:32.9	11.50	<10.76	<10.18	
591	05:35:17.98	−04:57:59.7	18.33	16.27	15.40	
592	05:35:17.98	−05:16:45.1	13.07	11.70	11.04	
593	05:35:17.99	−05:15:38.7	13.06	12.39	11.86	
594	05:35:18.01	−05:16:13.6	11.18	<10.00	<9.37	
595	05:35:18.11	−05:15:46.1	13.37	12.69	12.39	
596	05:35:18.19	−05:17:53.9	15.01	13.54	13.04	
597	05:35:18.21	−05:03:54.5	9.26 [†]	9.26 [†]	9.21 [†]	2MASS J0535182−050354
598	05:35:18.21	−05:16:33.9	12.76	11.97	11.70	
599	05:35:18.21	−05:17:22.0	15.69	13.41	11.57	
600	05:35:18.22	−05:15:06.1	17.15	16.69	16.08	
601	05:35:18.24	−05:13:06.9	11.36	<10.34	<9.78	
602	05:35:18.24	−05:17:44.9	13.68	11.61	<10.12	
603	05:35:18.30	−05:08:04.8	17.02	14.58	13.24	
604	05:35:18.33	−05:00:32.9	18.02	14.57	<10.72	
605	05:35:18.35	−05:13:16.7	14.53	13.30	12.67	
606	05:35:18.37	−05:19:17.5	15.32	13.72	12.26	
607	05:35:18.38	−05:15:01.5	>21.86	>20.91	16.27	
608	05:35:18.44	−05:07:14.5	>21.28	17.44	15.94	
609	05:35:18.45	−05:06:45.9	19.93	18.01	15.45	
610	05:35:18.46	−05:16:37.7	<10.36	<9.89	<9.57	
611	05:35:18.47	−05:08:30.7	13.79	13.13	12.97	2MASS J0535184−050830
612	05:35:18.52	−05:13:38.4	11.34	<10.40	<9.61	
613	05:35:18.55	−05:18:20.5	12.80	11.36	11.10	
614	05:35:18.60	−04:55:11.0	17.52	15.58	14.09	
615	05:35:18.60	−04:59:42.3	13.86	13.22	12.96	2MASS J0535186−045942
616	05:35:18.60	−05:16:35.1	<10.54	<9.97	<9.57	
617	05:35:18.62	−05:06:47.3	20.70	16.47	14.15	
618	05:35:18.62	−05:13:27.5	16.73	14.53	13.25	
619	05:35:18.64	−05:18:35.1	14.10	12.05	11.26	
620	05:35:18.69	−05:17:43.1	16.17	14.42	13.27	
621	05:35:18.71	−05:15:18.1	14.30	13.67	12.97	
622	05:35:18.75	−05:18:02.2	12.86	<10.95	<10.00	
623	05:35:18.82	−05:17:29.0	11.37	<9.68	<8.35	
624	05:35:18.83	−05:17:20.9	16.09	14.46	13.11	
625	05:35:18.86	−05:14:45.6	12.48	11.65	11.27	
626	05:35:18.90	−05:19:02.9	15.06	12.91	11.58	
627	05:35:18.92	−05:16:13.9	11.66	11.36	11.27	
628	05:35:18.95	−05:12:31.3	17.89	16.33	15.64	
629	05:35:18.97	−05:17:51.6	16.50	14.60	13.01	
630	05:35:19.10	−04:54:07.8	13.70	13.03	12.97	2MASS J0535191−045407
631	05:35:19.20	−05:18:39.1	15.89	14.38	13.63	
632	05:35:19.25	−05:16:58.6	15.89	14.59	13.71	
633	05:35:19.25	−05:17:31.6	15.58	13.24	11.43	
634	05:35:19.28	−05:19:11.9	16.94	13.47	12.02	
635	05:35:19.31	−05:16:44.6	12.87	12.03	11.46	2MASS J0535193−051644
636	05:35:19.32	−04:55:44.9	15.67	12.87	10.25 [†]	2MASS J0535193−045545
637	05:35:19.32	−05:16:10.0	14.48	13.97	13.66	
638	05:35:19.33	−05:19:03.7	15.49	13.24	12.12	
639	05:35:19.38	−05:17:19.2	14.59	13.53	12.51	
640	05:35:19.48	−05:16:08.2	13.93	13.26	12.77	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
641	05:35:19.52	−05:08:58.1	19.28	18.18	15.59	
642	05:35:19.58	−05:17:03.1	13.55	11.31	10.06 [†]	2MASS J0535195−051703
643	05:35:19.66	−05:02:28.8	14.54	13.82	13.50	2MASS J0535196−050228
644	05:35:19.66	−05:13:26.5	13.61	11.55	10.24 [†]	2MASS J0535196−051326
645	05:35:19.67	−05:03:34.5	18.72	16.57	15.30	
646	05:35:19.74	−05:19:30.1	>21.03	13.23	11.27	
647	05:35:19.75	−05:04:54.3	18.13	>20.17	13.94	
648	05:35:19.80	−04:57:06.7	>21.06	16.83	14.86	
649	05:35:19.80	−05:14:05.4	13.52	13.10	12.68	2MASS J0535197−051405
650	05:35:19.82	−05:15:35.4	17.65	14.95	12.35	
651	05:35:19.84	−05:15:09.0	13.00	11.43	10.26 [†]	2MASS J0535198−051508
652	05:35:19.98	−05:01:02.4	>21.05	18.28	14.20	
653	05:35:20.00	−05:18:46.6	13.91	12.04	12.09	
654	05:35:20.03	−05:12:50.5	13.87	11.96	11.17	2MASS J0535200−051250
655	05:35:20.12	−04:58:40.2	19.20	16.74	16.25	
656	05:35:20.20	−05:15:59.5	14.55	12.94	12.26	
657	05:35:20.24	−05:13:16.2	9.89 [†]	7.86 [†]	6.49 [†]	2MASS J0535201−051315
658	05:35:20.25	−05:12:11.2	14.74	14.04	14.12	
659	05:35:20.25	−05:13:59.6	12.24	10.75 [†]	9.88 [†]	2MASS J0535202−051359
660	05:35:20.36	−05:02:26.4	12.39	11.57	11.28	2MASS J0535203−050226
661	05:35:20.42	−05:17:14.6	11.99	11.21 [†]	10.43 [†]	2MASS J0535204−051714
662	05:35:20.44	−05:01:15.1	18.43	17.32	15.98	
663	05:35:20.45	−05:06:38.0	>21.18	17.87	15.62	
664	05:35:20.62	−05:03:00.7	18.44	14.47	11.94	
665	05:35:20.67	−05:09:02.9	14.19	13.17	12.70	2MASS J0535206−050902
666	05:35:20.68	−05:01:54.2	13.16	12.35	12.20	2MASS J0535206−050154
667	05:35:20.74	−05:19:26.6	15.93	14.66	11.78	
668	05:35:20.76	−05:15:49.4	9.90 [†]	8.68 [†]	8.08 [†]	2MASS J0535207−051549
669	05:35:20.77	−04:58:34.0	12.39	11.34	10.72 [†]	2MASS J0535207−045834
670	05:35:20.78	−05:13:23.4	15.11	14.03	13.40	
671	05:35:20.82	−04:57:16.9	16.28	13.91	12.74	2MASS J0535208−045717
672	05:35:20.83	−05:02:57.7	19.49	16.28	13.60	
673	05:35:20.86	−04:56:53.0	>21.30	18.48	15.16	
674	05:35:20.99	−05:16:37.7	12.02	11.36	11.19	2MASS J0535210−051637
675	05:35:21.07	−05:01:16.6	16.87	16.34	14.12	
676	05:35:21.09	−05:19:16.3	>21.78	>20.83	15.56	
677	05:35:21.15	−05:06:32.4	>21.23	18.56	15.31	
678	05:35:21.17	−05:18:21.4	12.85	11.97	11.57	2MASS J0535211−051821
679	05:35:21.22	−05:06:47.8	>21.15	>20.20	15.39	
680	05:35:21.28	−05:09:16.2	8.38 [†]	7.84 [†]	7.31 [†]	2MASS J0535212−050916
681	05:35:21.32	−04:58:35.0	15.41	14.13	13.62	
682	05:35:21.32	−05:12:12.8	8.71 [†]	8.11 [†]	7.90 [†]	2MASS J0535213−051212
683	05:35:21.38	−05:12:44.4	15.91	15.20	14.63	
684	05:35:21.41	−05:09:42.3	13.74	12.89	12.57	2MASS J0535213−050942
685	05:35:21.45	−04:57:18.8	20.51	17.02	15.77	
686	05:35:21.47	−05:09:03.7	12.27	11.32	<10.91	
687	05:35:21.47	−05:17:11.0	>21.46	>20.51	14.56	
688	05:35:21.50	−05:01:15.9	15.48	14.82	12.37	
689	05:35:21.52	−05:01:53.9	18.49	15.06	13.06	
690	05:35:21.59	−05:09:38.9	13.75	12.85	12.56	2MASS J0535215−050938
691	05:35:21.60	−05:09:49.7	13.01	12.03	11.75	2MASS J0535215−050949
692	05:35:21.63	−05:15:17.2	17.42	14.81	13.55	
693	05:35:21.65	−05:17:19.4	13.26	11.82	10.78 [†]	2MASS J0535216−051718
694	05:35:21.67	−05:17:17.0	13.22	11.83	<10.83	
695	05:35:21.69	−04:56:48.7	13.65	12.94	12.80	
696	05:35:21.74	−05:17:40.2	>21.20	>20.25	14.16	
697	05:35:21.76	−05:06:32.8	>21.18	17.30	14.77	
698	05:35:21.76	−05:17:27.8	>21.32	>20.37	15.58	
699	05:35:21.77	−05:09:45.3	19.37	17.65	16.23	
700	05:35:21.85	−04:55:21.8	20.53	19.61	17.31	
701	05:35:21.88	−04:54:07.6	11.91	11.31	<10.68	
702	05:35:21.88	−04:59:19.7	15.35	13.86	13.01	
703	05:35:21.88	−05:07:01.9	11.27	10.00 [†]	9.40 [†]	2MASS J0535218−050701
704	05:35:21.90	−05:18:12.0	17.22	16.66	14.62	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
705	05:35:21.91	−05:15:01.2	12.78	11.85	11.49	2MASS J0535219−051501
706	05:35:21.94	−04:57:09.1	18.35	15.70	14.35	
707	05:35:21.94	−05:08:03.7	13.05	12.03	11.58	2MASS J0535219−050803
708	05:35:21.94	−05:17:04.4	12.19	11.81	11.65	2MASS J0535219−051704
709	05:35:21.95	−05:14:27.7	11.79	11.36	11.31	2MASS J0535219−051427
710	05:35:22.08	−05:00:14.1	20.75	17.25	16.13	
711	05:35:22.08	−05:12:22.6	17.36	16.69	15.15	
712	05:35:22.13	−05:18:57.6	>21.67	>20.72	14.17	
713	05:35:22.23	−04:53:57.3	16.59	15.50	15.44	
714	05:35:22.25	−05:00:39.0	18.22	17.03	14.99	
715	05:35:22.26	−05:18:08.8	13.20	12.49	11.98	2MASS J0535222−051808
716	05:35:22.37	−05:07:39.2	14.47	12.05	10.46 [†]	2MASS J0535223−050739
717	05:35:22.37	−05:08:17.9	14.67	13.72	13.52	
718	05:35:22.39	−05:17:32.9	14.55	12.98	12.01	
719	05:35:22.42	−05:08:05.2	10.97 [†]	9.51 [†]	8.59 [†]	2MASS J0535224−050805
720	05:35:22.46	−05:09:11.1	11.44	11.12	10.62 [†]	2MASS J0535224−050911
721	05:35:22.57	−05:08:00.7	11.26 [†]	9.78 [†]	9.21 [†]	2MASS J0535225−050800
722	05:35:22.58	−04:59:05.3	17.46	16.02	15.39	
723	05:35:22.60	−05:13:28.4	14.33	13.64	13.37	2MASS J0535226−051328
724	05:35:22.63	−05:14:11.3	11.69	11.19	10.24 [†]	2MASS J0535226−051411
725	05:35:22.67	−05:15:08.6	13.38	12.63	12.35	2MASS J0535226−051508
726	05:35:22.71	−05:16:14.0	13.21	12.19	11.82	2MASS J0535226−051613
727	05:35:22.75	−05:18:38.1	>21.25	16.67	12.80	
728	05:35:22.89	−04:59:09.4	14.61	13.69	13.12	
729	05:35:22.93	−05:13:40.0	14.10	12.52	11.66	2MASS J0535229−051339
730	05:35:22.99	−05:15:21.8	16.43	16.44	13.73	
731	05:35:23.01	−05:17:45.2	>21.07	14.04	11.63	
732	05:35:23.03	−05:14:39.5	>21.75	20.73	16.14	
733	05:35:23.07	−05:11:50.3	15.88	14.27	13.20	
734	05:35:23.08	−05:00:36.4	16.48	13.89	12.45	
735	05:35:23.13	−05:13:43.6	13.02	11.33	10.49 [†]	2MASS J0535231−051343
736	05:35:23.22	−05:08:43.6	>21.11	14.94	13.10	
737	05:35:23.24	−05:00:38.2	16.56	13.90	12.44	
738	05:35:23.27	−05:13:48.3	15.35	14.29	13.53	
739	05:35:23.27	−05:15:43.4	15.68	14.41	13.39	
740	05:35:23.30	−04:56:11.9	16.82	14.30	12.95	
741	05:35:23.30	−04:57:20.7	12.90	12.05	11.92	
742	05:35:23.30	−05:03:23.4	17.01	14.35	12.85	
743	05:35:23.33	−05:07:09.6	17.79	14.78	12.51	
744	05:35:23.35	−05:08:21.6	16.80	14.26	12.41	
745	05:35:23.40	−05:12:03.1	15.96	15.03	12.47	
746	05:35:23.41	−05:18:50.6	11.32	10.54 [†]	10.23 [†]	2MASS J0535234−051850
747	05:35:23.42	−05:01:28.7	>21.42	>20.47	16.17	
748	05:35:23.47	−05:10:51.7	11.17	11.06	10.40 [†]	2MASS J0535234−051051
749	05:35:23.48	−05:15:23.4	14.05	13.38	12.93	
750	05:35:23.54	−05:18:57.0	11.89	11.14	11.18 [†]	2MASS J0535235−051857
751	05:35:23.59	−05:19:11.9	14.82	13.71	12.60	
752	05:35:23.60	−05:19:30.2	14.97	13.83	12.28	
753	05:35:23.65	−05:01:40.3	>21.02	18.18	14.94	
754	05:35:23.77	−05:18:39.8	12.53	11.62	10.90 [†]	2MASS J0535237−051839
755	05:35:23.82	−04:59:24.9	18.49	16.70	15.75	
756	05:35:23.89	−05:18:20.9	17.02	13.95	12.20	
757	05:35:23.92	−05:04:11.6	16.88	15.33	14.48	
758	05:35:23.92	−05:06:01.7	>20.88	17.96	14.38	
759	05:35:23.96	−05:07:53.4	18.29	16.64	15.26	
760	05:35:23.99	−05:19:07.4	12.92	12.14	11.80	2MASS J0535239−051907
761	05:35:24.00	−05:18:38.6	12.59	11.86	11.20	
762	05:35:24.06	−04:56:30.4	15.69	15.06	14.82	
763	05:35:24.06	−05:19:23.3	14.72	13.35	11.96	
764	05:35:24.09	−05:09:06.7	14.50	13.90	13.51	2MASS J0535240−050906
765	05:35:24.14	−05:18:54.3	17.72	15.13	13.41	
766	05:35:24.14	−05:19:27.6	15.23	13.55	12.01	
767	05:35:24.34	−05:01:20.5	>21.10	19.52	14.68	
768	05:35:24.38	−05:14:57.9	16.57	14.66	13.58	2MASS J0535243−051457

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
769	05:35:24.49	−05:16:59.8	11.65	10.75 [†]	10.18 [†]	2MASS J0535244−051659
770	05:35:24.55	−05:00:21.1	18.00	15.88	14.07	
771	05:35:24.61	−05:11:58.3	11.29	10.96 [†]	10.41 [†]	2MASS J0535246−051158
772	05:35:24.63	−05:11:29.5	12.20	11.30	10.18 [†]	2MASS J0535246−051129
773	05:35:24.63	−05:19:33.2	16.14	13.21	11.47	
774	05:35:24.64	−05:06:25.9	16.95	15.16	13.89	
775	05:35:24.66	−05:19:09.5	11.86	10.99 [†]	10.29 [†]	2MASS J0535246−051909
776	05:35:24.69	−05:09:26.4	17.01	15.11	13.55	
777	05:35:24.72	−05:16:41.1	13.85	11.68	<10.38	
778	05:35:24.74	−05:06:56.2	>21.27	>20.32	14.23	
779	05:35:24.79	−05:10:29.5	<10.34	<8.79	<7.16	
780	05:35:24.88	−05:06:21.5	16.08	12.93	11.07	2MASS J0535248−050621
781	05:35:24.94	−05:12:55.9	16.92	16.23	13.87	
782	05:35:25.03	−05:09:09.4	14.60	13.96	13.49	2MASS J0535250−050909
783	05:35:25.03	−05:19:25.2	15.21	13.95	12.76	
784	05:35:25.15	−05:06:30.7	>21.86	18.45	16.58	
785	05:35:25.24	−05:15:35.7	11.72	10.81 [†]	10.09 [†]	2MASS J0535252−051535
786	05:35:25.25	−05:09:27.5	11.82	11.25	11.03	2MASS J0535252−050927
787	05:35:25.34	−05:12:05.7	14.09	13.19	12.93	2MASS J0535253−051205
788	05:35:25.38	−05:16:36.1	16.39	16.17	15.55	
789	05:35:25.42	−05:10:48.0	11.62	11.30	11.15	2MASS J0535254−051048
790	05:35:25.44	−04:54:04.1	13.72	13.01	12.89	2MASS J0535254−045403
791	05:35:25.56	−04:55:27.0	14.90	12.98	12.33	2MASS J0535255−045526
792	05:35:25.64	−05:07:57.1	11.82 [†]	11.15 [†]	10.22 [†]	2MASS J0535256−050757
793	05:35:25.66	−05:09:41.9	18.17	15.94	13.91	
794	05:35:25.66	−05:18:04.2	13.96	12.94	12.31	
795	05:35:25.67	−04:57:18.3	13.33	12.59	12.40	2MASS J0535256−045718
796	05:35:25.68	−05:00:28.4	18.50	16.77	15.98	
797	05:35:25.70	−05:07:03.0	13.74	13.14	12.95	2MASS J0535257−050703
798	05:35:25.73	−05:07:46.2	14.74	12.36	11.22	2MASS J0535257−050746
799	05:35:25.75	−05:09:49.3	11.39	10.48 [†]	10.11 [†]	2MASS J0535257−050949
800	05:35:25.76	−05:05:57.9	16.37	14.53	12.66	
801	05:35:25.87	−05:07:56.4	11.14	11.00 [†]	10.09 [†]	2MASS J0535258−050756
802	05:35:26.02	−05:19:12.9	>22.41	>21.46	18.22	
803	05:35:26.06	−05:08:37.7	12.61 [†]	12.02 [†]	10.03 [†]	2MASS J0535260−050837
804	05:35:26.16	−05:08:33.4	14.55	13.78	13.39	
805	05:35:26.29	−05:08:39.9	10.10 [†]	9.60 [†]	9.35 [†]	2MASS J0535262−050840
806	05:35:26.31	−05:15:11.4	10.25 [†]	9.85 [†]	9.80 [†]	2MASS J0535263−051511
807	05:35:26.34	−05:17:44.7	15.16	14.58	13.75	
808	05:35:26.36	−05:10:50.4	14.76	14.04	13.74	2MASS J0535263−051050
809	05:35:26.38	−05:18:57.6	16.24	14.02	12.77	
810	05:35:26.41	−05:16:12.5	13.31	11.91	11.15	2MASS J0535264−051612
811	05:35:26.41	−05:16:37.9	14.79	13.87	13.00	
812	05:35:26.44	−05:00:56.9	14.85	14.12	13.88	2MASS J0535264−050057
813	05:35:26.45	−05:15:05.4	16.74	15.63	15.14	
814	05:35:26.46	−04:59:51.9	16.69	14.21	12.89	
815	05:35:26.49	−05:17:56.6	12.20	<10.86	<10.21	
816	05:35:26.51	−05:19:18.7	>21.18	>20.23	12.61	
817	05:35:26.58	−04:58:25.3	20.52	16.46	14.51	
818	05:35:26.58	−05:17:53.1	12.11	12.38 [†]	11.36 [†]	2MASS J0535265−051753
819	05:35:26.58	−05:19:08.3	18.17	>19.94	13.97	
820	05:35:26.59	−04:56:06.7	11.85	11.32	10.93 [†]	2MASS J0535265−045606
821	05:35:26.62	−05:03:54.6	14.89	12.12	<9.96	
822	05:35:26.63	−05:18:18.6	16.06	16.08	14.53	
823	05:35:26.64	−04:55:02.5	16.78	15.56	15.03	2MASS J0535266−045502
824	05:35:26.73	−05:16:45.2	13.11	12.28	11.87	2MASS J0535267−051645
825	05:35:26.75	−05:14:44.5	15.07	14.39	14.19	2MASS J0535267−051444
826	05:35:26.75	−05:19:02.8	16.15	14.06	12.70	
827	05:35:26.87	−05:09:24.6	15.18	13.21	11.17	2MASS J0535268−050924
828	05:35:26.87	−05:17:13.1	16.50	15.52	14.37	
829	05:35:26.94	−05:04:07.0	15.90	14.22	13.11	
830	05:35:26.94	−05:18:06.9	13.84	12.63	11.88	
831	05:35:26.96	−05:11:07.7	8.92 [†]	7.84 [†]	7.03 [†]	2MASS J0535268−051107
832	05:35:26.96	−05:15:37.2	>21.73	17.64	16.10	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
833	05:35:26.97	−05:10:17.4	13.23	10.93 [†]	8.73 [†]	2MASS J0535269−051017
834	05:35:27.00	−05:13:14.5	10.55 [†]	10.26 [†]	10.17 [†]	2MASS J0535269−051314
835	05:35:27.01	−05:09:54.4	14.83	13.41	12.55	2MASS J0535269−050954
836	05:35:27.06	−05:15:44.8	12.83	11.91	11.25	2MASS J0535270−051544
837	05:35:27.18	−04:58:34.5	18.91	16.61	15.59	
838	05:35:27.21	−04:55:18.6	14.05	12.74	12.29	2MASS J0535272−045518
839	05:35:27.27	−05:05:27.2	17.52	16.54	15.61	
840	05:35:27.44	−05:02:42.4	16.87	13.34	11.04	
841	05:35:27.44	−05:09:04.0	15.09	14.35	13.80	2MASS J0535274−050903
842	05:35:27.45	−05:17:12.1	11.21	<10.36	<9.78	
843	05:35:27.47	−05:17:09.8	11.20	10.24 [†]	9.53 [†]	2MASS J0535274−051709
844	05:35:27.49	−05:09:44.3	11.66	10.51 [†]	9.83 [†]	2MASS J0535274−050944
845	05:35:27.49	−05:11:50.1	16.27	15.16	13.45	
846	05:35:27.53	−05:13:56.4	13.71	12.46	11.60	2MASS J0535275−051356
847	05:35:27.53	−05:16:55.9	14.09	12.79	12.26	
848	05:35:27.55	−05:18:19.3	14.72	13.06	12.17	
849	05:35:27.56	−05:10:08.6	16.73	14.27	12.36	
850	05:35:27.59	−05:05:31.2	19.96	19.55	14.99	
851	05:35:27.64	−04:54:38.9	19.09	17.33	16.73	
852	05:35:27.64	−05:09:32.9	13.65	<10.76	<9.14	
853	05:35:27.65	−05:18:00.7	13.15	12.08	11.64	
854	05:35:27.66	−05:09:37.3	13.25	10.51 [†]	8.94 [†]	2MASS J0535276−050937
855	05:35:27.67	−05:09:49.9	12.74	11.74	<10.60	
856	05:35:27.75	−05:18:04.7	11.98	10.55 [†]	9.94 [†]	2MASS J0535277−051804
857	05:35:27.81	−05:07:54.8	14.20	13.28	12.75	2MASS J0535277−050754
858	05:35:27.86	−05:05:36.3	>20.99	16.26	13.37	
859	05:35:27.93	−05:16:57.3	11.60	10.86 [†]	10.56 [†]	2MASS J0535279−051657
860	05:35:27.94	−04:53:52.1	17.69	16.71	17.04	
861	05:35:27.97	−05:18:59.8	13.90	11.53	<10.25	
862	05:35:28.01	−05:19:14.0	>21.03	15.78	14.36	
863	05:35:28.05	−05:05:38.4	>21.13	17.06	14.49	
864	05:35:28.05	−05:17:20.3	12.45	11.69	11.43	2MASS J0535280−051720
865	05:35:28.06	−05:01:35.1	19.33	14.97	12.18	
866	05:35:28.14	−05:18:57.0	13.36	11.03	9.68 [†]	2MASS J0535281−051857
867	05:35:28.15	−05:10:13.9	11.03	10.19 [†]	9.48 [†]	2MASS J0535281−051013
868	05:35:28.17	−05:00:49.8	12.53	11.74	11.51	2MASS J0535281−050049
869	05:35:28.17	−05:15:50.9	14.06	12.54	11.78	
870	05:35:28.19	−05:03:41.3	20.45	16.61	11.84	
871	05:35:28.19	−05:11:37.6	12.96	11.87	11.55	2MASS J0535281−051137
872	05:35:28.19	−05:16:01.4	14.70	14.16	13.15	
873	05:35:28.26	−04:58:38.4	>21.06	14.14	11.39	
874	05:35:28.30	−04:55:42.1	17.33	15.79	14.98	
875	05:35:28.36	−05:17:54.4	13.52	12.36	11.93	2MASS J0535283−051754
876	05:35:28.36	−05:18:23.0	12.34	11.64	11.46	2MASS J0535283−051823
877	05:35:28.40	−04:58:07.2	14.65	13.88	13.67	2MASS J0535283−045807
878	05:35:28.41	−05:07:44.1	16.22	13.07	11.11	
879	05:35:28.43	−05:19:02.0	13.23	12.59	12.22	2MASS J0535284−051902
880	05:35:28.44	−04:53:57.0	17.46	16.42	15.95	
881	05:35:28.46	−04:57:16.9	>21.66	18.34	16.67	
882	05:35:28.52	−05:07:46.9	16.23	13.05	11.09	
883	05:35:28.60	−04:55:03.8	11.05	10.54 [†]	10.38 [†]	2MASS J0535286−045503
884	05:35:28.60	−05:05:44.6	15.04	12.50	10.81 [†]	2MASS J0535285−050544
885	05:35:28.66	−05:02:44.8	15.49	13.83	12.99	2MASS J0535286−050244
886	05:35:28.71	−05:19:25.7	18.58	15.86	15.62	
887	05:35:28.87	−04:57:39.3	18.00	14.98	13.11	
888	05:35:28.88	−04:54:36.1	18.68	16.39	15.28	
889	05:35:28.93	−04:54:20.6	14.93	13.91	13.34	2MASS J0535289−045420
890	05:35:28.94	−05:16:18.4	11.22	10.37 [†]	9.63 [†]	2MASS J0535289−051618
891	05:35:29.04	−05:06:04.0	11.93	11.41	11.12	2MASS J0535290−050604
892	05:35:29.14	−05:00:18.2	19.47	16.58	15.32	
893	05:35:29.17	−05:18:18.3	14.67	13.71	13.09	
894	05:35:29.37	−05:02:14.8	17.10	15.44	14.63	
895	05:35:29.37	−05:11:46.9	>22.20	>21.25	17.51	
896	05:35:29.44	−04:55:45.6	19.09	17.69	16.73	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
897	05:35:29.45	−05:16:33.4	11.52	10.73 [†]	10.44 [†]	2MASS J0535294−051633
898	05:35:29.45	−05:17:55.4	14.22	13.20	12.26	
899	05:35:29.46	−05:18:45.6	13.94	12.26	10.09 [†]	2MASS J0535294−051845
900	05:35:29.51	−05:00:00.5	>21.44	20.19	16.25	
901	05:35:29.54	−05:17:47.1	>22.05	17.75	18.06	
902	05:35:29.55	−05:18:40.0	14.99	13.46	12.71	
903	05:35:29.56	−04:59:56.7	18.00	17.21	16.07	
904	05:35:29.79	−04:56:11.7	>21.50	>20.55	16.53	
905	05:35:29.82	−05:16:06.3	11.98	11.26	10.94 [†]	2MASS J0535298−051606
906	05:35:29.90	−05:18:53.0	16.14	13.70	12.19	
907	05:35:29.91	−05:12:10.3	12.64	12.08	11.85	2MASS J0535299−051210
908	05:35:29.93	−04:57:08.2	14.25	12.35	11.60	2MASS J0535299−045708
909	05:35:29.93	−05:08:20.2	>20.63	15.57	13.12	
910	05:35:30.00	−05:12:27.4	12.06	11.43	10.86 [†]	2MASS J0535299−051227
911	05:35:30.07	−05:19:06.4	17.64	16.37	15.14	
912	05:35:30.11	−05:09:09.5	13.75	13.24	13.20	2MASS J0535301−050909
913	05:35:30.15	−05:14:18.5	13.03	12.00	11.35	2MASS J0535301−051418
914	05:35:30.22	−05:16:57.5	16.83	15.90	15.04	
915	05:35:30.23	−05:08:19.1	>20.74	15.79	13.52	
916	05:35:30.26	−05:09:32.3	17.07	16.03	14.21	
917	05:35:30.28	−04:55:53.9	18.00	16.27	15.42	
918	05:35:30.29	−05:13:52.6	13.29	11.66	10.70 [†]	2MASS J0535302−051352
919	05:35:30.36	−05:18:05.6	14.26	13.36	13.09	
920	05:35:30.46	−05:19:00.7	15.10	13.39	12.33	
921	05:35:30.48	−05:19:33.9	13.94	12.03	<10.40	
922	05:35:30.53	−05:17:15.2	14.01	12.68	12.15	
923	05:35:30.54	−05:03:34.5	15.42	13.67	12.75	2MASS J0535305−050334
924	05:35:30.59	−04:57:21.5	14.77	14.01	13.74	2MASS J0535305−045721
925	05:35:30.61	−04:59:36.0	14.36	11.65	10.48 [†]	2MASS J0535306−045936
926	05:35:30.63	−05:15:16.2	13.65	13.11	12.88	2MASS J0535306−051516
927	05:35:30.65	−05:04:11.1	18.32	16.47	15.02	
928	05:35:30.70	−05:18:07.0	12.38	11.40	10.98 [†]	2MASS J0535307−051807
929	05:35:30.72	−05:03:35.5	15.35	13.61	12.75	2MASS J0535307−050335
930	05:35:30.73	−04:55:49.8	18.66	16.92	16.51	
931	05:35:30.80	−04:54:43.7	16.89	15.23	14.54	
932	05:35:30.80	−04:58:13.6	17.83	14.50	12.78	
933	05:35:30.89	−04:55:17.9	11.87	11.36	10.68 [†]	2MASS J0535308−045517
934	05:35:30.91	−05:18:17.8	11.54	10.80 [†]	10.46 [†]	2MASS J0535309−051817
935	05:35:30.97	−05:04:44.1	18.65	16.77	15.46	
936	05:35:31.03	−04:57:20.0	12.27	11.50	11.28	2MASS J0535310−045720
937	05:35:31.04	−05:18:07.6	16.56	15.84	16.24	
938	05:35:31.04	−05:18:44.9	13.26	12.37	11.87	2MASS J0535310−051845
939	05:35:31.07	−05:04:15.0	11.51	11.01	10.41 [†]	2MASS J0535310−050415
940	05:35:31.13	−05:15:13.9	15.79	15.33	15.62	
941	05:35:31.14	−04:54:15.2	9.15 [†]	9.20 [†]	9.22 [†]	2MASS J0535311−045415
942	05:35:31.14	−05:13:43.8	16.40	14.14	13.03	2MASS J0535311−051343
943	05:35:31.20	−04:57:27.1	14.92	13.00	12.03	2MASS J0535312−045727
944	05:35:31.21	−05:12:27.9	12.94	12.33	12.16	2MASS J0535312−051228
945	05:35:31.22	−05:19:31.8	14.28	13.21	12.63	
946	05:35:31.26	−05:15:10.7	15.14	14.12	13.83	
947	05:35:31.27	−05:18:55.7	10.80 [†]	10.07 [†]	9.58 [†]	2MASS J0535312−051855
948	05:35:31.29	−05:15:32.9	10.07 [†]	9.28 [†]	8.93 [†]	2MASS J0535312−051533
949	05:35:31.33	−05:12:01.5	14.53	13.95	13.61	2MASS J0535313−051201
950	05:35:31.44	−05:16:03.4	5.84 [†]	5.64 [†]	5.56 [†]	2MASS J0535313−051602
951	05:35:31.48	−04:57:47.7	16.88	15.07	14.14	2MASS J0535314−045747
952	05:35:31.51	−05:05:01.6	12.16	11.57	10.77 [†]	2MASS J0535315−050501
953	05:35:31.54	−05:05:47.2	11.83	9.77 [†]	8.28 [†]	2MASS J0535315−050547
954	05:35:31.54	−05:14:44.7	>21.33	15.97	15.55	
955	05:35:31.55	−05:16:36.8	12.59	11.58	10.85 [†]	2MASS J0535315−051636
956	05:35:31.58	−05:15:23.4	13.00	12.07	11.74	2MASS J0535315−051523
957	05:35:31.59	−04:54:37.4	14.88	13.40	12.74	2MASS J0535316−045437
958	05:35:31.59	−05:06:25.0	17.22	16.52	14.95	
959	05:35:31.61	−05:19:27.5	>21.29	14.48	13.09	
960	05:35:31.62	−05:16:58.1	12.98	11.72	11.25	2MASS J0535316−051658

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
961	05:35:31.64	−05:00:14.0	14.11	11.53	9.96 [†]	2MASS J0535316−050014
962	05:35:31.64	−05:03:46.1	18.52	16.24	15.38	
963	05:35:31.75	−05:16:39.8	12.80	11.86	11.32	2MASS J0535317−051639
964	05:35:31.76	−05:14:52.2	11.38	10.03 [†]	9.47 [†]	2MASS J0535317−051452
965	05:35:31.97	−05:09:27.9	9.37 [†]	8.54 [†]	8.09 [†]	2MASS J0535319−050927
966	05:35:31.98	−05:15:59.5	11.64	11.03	<10.68	
967	05:35:32.00	−05:16:20.0	12.56	12.58	11.56	2MASS J0535319−051620
968	05:35:32.01	−04:55:35.7	13.94	13.24	13.02	2MASS J0535320−045535
969	05:35:32.02	−05:08:05.8	14.14	12.90	12.76	2MASS J0535320−050805
970	05:35:32.03	−05:08:34.9	17.13	15.86	15.32	
971	05:35:32.04	−04:56:42.4	16.08	14.79	14.24	2MASS J0535320−045642
972	05:35:32.10	−05:00:23.7	15.57	13.91	13.06	2MASS J0535321−050023
973	05:35:32.19	−05:11:57.8	12.63	11.92	11.54	2MASS J0535321−051157
974	05:35:32.20	−05:16:03.6	12.52	12.04	11.70	
975	05:35:32.31	−05:16:26.8	14.00	12.92	12.51	
976	05:35:32.34	−05:11:43.3	14.92	12.67	11.57	2MASS J0535323−051143
977	05:35:32.34	−05:18:07.7	11.53	10.67 [†]	10.30 [†]	2MASS J0535323−051807
978	05:35:32.36	−04:58:29.9	17.18	14.54	13.10	
979	05:35:32.38	−05:12:53.0	16.61	16.22	16.39	
980	05:35:32.39	−05:12:10.8	19.48	18.40	17.13	
981	05:35:32.43	−05:14:24.6	12.68	11.66	11.43	2MASS J0535324−051424
982	05:35:32.44	−05:15:06.7	13.61	12.25	11.45	2MASS J0535324−051506
983	05:35:32.53	−05:01:57.2	15.39	13.60	12.65	2MASS J0535325−050157
984	05:35:32.54	−05:02:09.8	14.86	14.12	13.76	2MASS J0535325−050209
985	05:35:32.62	−05:05:37.9	15.74	14.84	14.32	2MASS J0535326−050538
986	05:35:32.64	−04:56:52.7	18.45	17.21	16.33	
987	05:35:32.64	−05:15:51.2	13.49	12.42	11.99	2MASS J0535326−051551
988	05:35:32.72	−05:12:00.7	15.52	14.12	12.80	
989	05:35:32.81	−05:17:38.5	13.36	12.28	11.78	2MASS J0535328−051738
990	05:35:32.84	−05:18:19.8	13.90	12.44	11.62	
991	05:35:32.90	−05:16:30.2	15.67	17.92	13.98	
992	05:35:32.92	−05:16:05.3	11.31	10.50 [†]	10.16 [†]	2MASS J0535329−051605
993	05:35:32.93	−05:02:46.8	17.58	15.60	14.51	
994	05:35:32.95	−04:57:54.2	18.03	16.25	15.59	
995	05:35:32.96	−05:12:04.8	13.27	11.52	10.55 [†]	2MASS J0535329−051204
996	05:35:32.96	−05:16:40.1	14.52	13.98	13.07	
997	05:35:33.02	−05:17:39.2	14.51	13.26	12.54	
998	05:35:33.10	−05:13:38.7	>20.85	>19.90	13.92	
999	05:35:33.12	−05:17:34.0	12.84	12.17	11.85	2MASS J0535331−051733
1000	05:35:33.17	−05:14:10.6	12.20	11.47	11.06	2MASS J0535331−051410
1001	05:35:33.21	−05:16:05.4	11.45	10.74 [†]	9.82 [†]	2MASS J0535331−051605
1002	05:35:33.34	−05:11:45.6	17.54	16.58	15.32	
1003	05:35:33.43	−04:56:54.5	17.67	16.44	16.02	
1004	05:35:33.44	−05:08:45.1	>21.31	20.12	15.20	
1005	05:35:33.45	−04:56:01.7	13.03	12.33	12.09	2MASS J0535334−045601
1006	05:35:33.49	−05:05:00.9	19.23	15.91	14.19	
1007	05:35:33.58	−04:55:17.9	18.29	17.84	16.25	
1008	05:35:33.59	−05:15:23.2	13.13	11.84	11.42	2MASS J0535335−051523
1009	05:35:33.63	−05:00:42.0	12.01	11.30	11.03	2MASS J0535336−050042
1010	05:35:33.65	−05:03:08.0	13.29	11.77	10.89 [†]	2MASS J0535336−050308
1011	05:35:33.68	−04:57:20.9	18.10	16.72	16.10	
1012	05:35:33.80	−04:55:00.2	13.11	12.09	11.69	2MASS J0535338−045500
1013	05:35:33.83	−05:04:27.5	13.82	11.82	10.53 [†]	2MASS J0535338−050427
1014	05:35:33.84	−05:17:10.8	14.40	13.27	12.82	2MASS J0535338−051710
1015	05:35:33.88	−05:09:06.2	13.96	13.40	13.22	2MASS J0535338−050905
1016	05:35:33.88	−05:15:54.4	14.27	12.96	12.32	2MASS J0535338−051554
1017	05:35:33.92	−05:03:33.5	12.54	11.97	11.74	2MASS J0535339−050333
1018	05:35:34.00	−04:53:57.6	13.48	12.08	11.61	2MASS J0535340−045357
1019	05:35:34.03	−04:54:11.0	12.73	12.04	11.88	2MASS J0535340−045411
1020	05:35:34.08	−05:17:09.5	15.36	14.47	14.26	
1021	05:35:34.29	−05:06:21.2	9.31 [†]	9.33 [†]	9.31 [†]	2MASS J0535342−050621
1022	05:35:34.42	−05:18:38.4	15.23	13.66	12.42	
1023	05:35:34.46	−05:03:30.7	17.73	16.63	16.21	
1024	05:35:34.50	−05:00:52.4	16.28	13.69	11.28	2MASS J0535345−050052

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1025	05:35:34.52	−05:13:07.7	14.32	13.74	13.58	2MASS J0535345−051307
1026	05:35:34.58	−05:19:05.5	15.89	14.33	13.08	
1027	05:35:34.59	−04:57:52.8	18.56	16.93	15.64	
1028	05:35:34.62	−05:15:52.8	12.98	12.33	11.71	2MASS J0535346−051552
1029	05:35:34.80	−05:15:31.2	14.13	12.94	12.29	2MASS J0535348−051531
1030	05:35:34.98	−05:12:30.2	14.50	13.83	12.85	
1031	05:35:35.04	−05:11:09.2	14.16	13.40	12.91	2MASS J0535350−051109
1032	05:35:35.20	−05:00:14.7	18.10	15.92	15.55	
1033	05:35:35.28	−04:58:02.2	18.40	16.61	15.68	
1034	05:35:35.34	−05:05:24.9	17.22	15.08	13.89	
1035	05:35:35.35	−05:11:11.5	12.61	12.05	11.88	2MASS J0535353−051111
1036	05:35:35.40	−05:08:46.9	13.84	13.09	12.87	2MASS J0535353−050846
1037	05:35:35.45	−05:07:53.1	16.31	14.28	13.07	2MASS J0535354−050753
1038	05:35:35.55	−05:06:58.6	13.28	12.68	12.53	2MASS J0535355−050658
1039	05:35:35.60	−05:15:43.2	11.66	10.96 [†]	10.64 [†]	2MASS J0535356−051543
1040	05:35:35.68	−05:10:51.0	14.13	13.64	13.36	2MASS J0535356−051050
1041	05:35:35.77	−04:56:27.6	16.93	15.51	15.05	
1042	05:35:35.79	−05:12:20.5	9.79 [†]	9.84 [†]	9.76 [†]	2MASS J0535357−051220
1043	05:35:35.93	−05:12:06.8	18.41	17.06	16.92	
1044	05:35:35.97	−05:11:01.0	19.93	17.39	16.26	
1045	05:35:35.98	−05:02:12.6	18.14	16.66	16.04	
1046	05:35:36.01	−05:12:25.2	11.20 [†]	9.57 [†]	8.47 [†]	2MASS J0535360−051225
1047	05:35:36.02	−04:57:41.6	14.47	13.73	13.47	2MASS J0535360−045741
1048	05:35:36.05	−05:13:17.1	15.97	14.77	13.81	
1049	05:35:36.21	−05:04:55.8	13.26	11.76	11.12	2MASS J0535362−050455
1050	05:35:36.26	−05:14:30.2	15.10	14.49	13.77	
1051	05:35:36.42	−05:01:15.5	10.93 [†]	10.07 [†]	9.56 [†]	2MASS J0535364−050115
1052	05:35:36.44	−05:09:11.5	16.63	15.89	15.41	
1053	05:35:36.48	−05:15:32.3	>21.51	16.71	15.55	
1054	05:35:36.57	−05:04:39.2	12.05	11.30	11.15	2MASS J0535365−050439
1055	05:35:36.57	−05:12:31.0	15.77	15.32	14.56	
1056	05:35:36.58	−04:58:40.6	17.64	16.53	16.11	
1057	05:35:36.67	−05:18:50.7	14.14	13.27	12.80	2MASS J0535366−051850
1058	05:35:36.68	−05:04:14.4	11.98	11.31	10.87 [†]	2MASS J0535366−050414
1059	05:35:36.69	−04:57:29.9	13.61	12.38	11.92	2MASS J0535366−045730
1060	05:35:36.72	−04:56:44.7	18.74	16.79	15.43	
1061	05:35:36.74	−05:10:00.4	13.13	12.43	11.97	2MASS J0535367−051000
1062	05:35:36.87	−04:58:05.0	13.73	12.21	11.64	2MASS J0535368−045805
1063	05:35:36.89	−05:18:21.6	>21.55	18.84	14.64	
1064	05:35:36.95	−05:03:26.2	21.10	>20.73	16.43	
1065	05:35:36.95	−05:04:05.3	17.02	15.84	15.19	
1066	05:35:36.97	−05:05:26.2	14.58	14.06	13.70	2MASS J0535369−050526
1067	05:35:37.06	−05:18:58.6	20.98	18.74	16.60	
1068	05:35:37.16	−05:10:29.5	12.47	11.81	11.64	2MASS J0535371−051029
1069	05:35:37.18	−04:56:53.7	>21.64	>20.69	17.39	
1070	05:35:37.33	−05:02:36.3	15.27	13.16	12.10	2MASS J0535373−050236
1071	05:35:37.45	−04:58:26.8	11.69	10.01 [†]	9.19 [†]	2MASS J0535374−045826
1072	05:35:37.59	−05:04:47.1	17.66	14.88	13.22	
1073	05:35:37.70	−05:06:31.9	12.96	12.25	12.10	2MASS J0535376−050631
1074	05:35:37.89	−05:03:46.2	17.42	15.77	15.20	2MASS J0535378−050346
1075	05:35:38.01	−04:57:13.5	18.79	16.98	16.46	
1076	05:35:38.01	−05:03:29.8	17.46	16.05	15.64	
1077	05:35:38.03	−05:19:26.7	17.55	16.59	15.96	
1078	05:35:38.10	−05:18:11.1	11.53	9.78 [†]	8.86 [†]	2MASS J0535381−051811
1079	05:35:38.13	−04:55:41.0	14.26	13.11	12.65	
1080	05:35:38.19	−04:56:37.0	>21.54	>20.59	16.73	
1081	05:35:38.19	−05:03:33.7	15.76	14.92	14.51	2MASS J0535382−050333
1082	05:35:38.22	−05:14:18.8	11.58	11.01	10.56 [†]	2MASS J0535382−051418
1083	05:35:38.32	−04:58:01.2	16.18	14.81	14.31	
1084	05:35:38.45	−05:10:08.9	14.82	14.36	14.13	2MASS J0535384−051009
1085	05:35:38.51	−05:04:51.4	16.33	13.69	11.95	2MASS J0535385−050451
1086	05:35:38.53	−04:59:41.0	12.05	11.10	<10.44	
1087	05:35:38.57	−05:08:03.2	15.91	13.46	12.01	2MASS J0535385−050803
1088	05:35:38.58	−05:07:31.1	17.86	16.89	16.76	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1089	05:35:38.65	−05:09:56.6	12.98	12.47	12.22	2MASS J0535386−050956
1090	05:35:38.72	−05:16:58.9	13.44	12.21	11.53	2MASS J0535387−051659
1091	05:35:38.75	−05:04:55.4	14.95	12.91	11.94	2MASS J0535387−050455
1092	05:35:38.79	−05:11:19.9	17.78	16.48	15.82	
1093	05:35:38.82	−04:57:10.2	16.12	14.98	14.62	
1094	05:35:38.83	−05:12:15.3	15.40	14.86	14.84	2MASS J0535388−051215
1095	05:35:38.86	−05:12:41.8	10.87 [†]	9.72 [†]	9.02 [†]	2MASS J0535388−051241
1096	05:35:38.98	−05:19:14.6	>21.93	17.56	16.32	
1097	05:35:39.03	−05:07:04.2	12.52	11.97	11.79	2MASS J0535390−050704
1098	05:35:39.08	−05:08:56.3	10.87 [†]	10.20 [†]	10.00 [†]	2MASS J0535390−050856
1099	05:35:39.16	−05:12:20.2	13.72	12.74	12.27	2MASS J0535391−051220
1100	05:35:39.20	−05:16:35.5	14.12	12.31	11.36	2MASS J0535392−051635
1101	05:35:39.27	−05:13:50.9	18.14	17.41	15.06	
1102	05:35:39.29	−05:18:31.7	>21.45	>20.50	16.55	
1103	05:35:39.68	−05:12:08.2	>21.07	>20.12	15.03	
1104	05:35:39.73	−05:01:54.0	>21.09	15.62	14.18	
1105	05:35:39.84	−05:15:49.4	14.01	12.89	12.42	2MASS J0535398−051549
1106	05:35:39.92	−04:57:31.3	<10.95	<10.32	<9.93	
1107	05:35:39.93	−04:58:39.1	12.82	11.99	11.82	
1108	05:35:39.97	−05:06:36.7	12.48	11.47	10.91 [†]	2MASS J0535399−050636
1109	05:35:40.01	−05:02:36.9	14.12	13.45	13.16	2MASS J0535400−050236
1110	05:35:40.03	−04:57:28.9	11.06	<10.38	<9.97	
1111	05:35:40.04	−05:11:38.2	16.71	14.97	14.49	
1112	05:35:40.17	−05:09:56.0	18.34	15.51	14.88	
1113	05:35:40.17	−05:16:25.8	>20.88	14.62	14.13	
1114	05:35:40.19	−05:16:32.0	15.58	13.67	13.17	2MASS J0535402−051631
1115	05:35:40.20	−05:17:29.1	10.35 [†]	9.53 [†]	9.01 [†]	2MASS J0535401−051729
1116	05:35:40.25	−05:15:47.5	>20.89	14.35	14.04	
1117	05:35:40.29	−05:13:36.8	15.97	14.15	13.65	
1118	05:35:40.32	−05:03:05.5	16.79	15.31	14.78	
1119	05:35:40.34	−05:12:31.9	15.97	14.79	14.37	2MASS J0535403−051232
1120	05:35:40.38	−04:55:44.0	13.28	12.39	12.03	
1121	05:35:40.53	−04:59:12.8	15.76	15.08	14.84	
1122	05:35:40.56	−05:03:04.6	16.41	14.99	14.52	2MASS J0535405−050304
1123	05:35:40.62	−05:12:19.3	12.95	12.21	11.99	2MASS J0535406−051219
1124	05:35:40.63	−05:13:20.6	16.92	16.11	16.06	
1125	05:35:40.63	−05:19:02.6	>21.13	16.06	14.31	
1126	05:35:40.65	−05:19:33.0	15.35	15.56	14.81	
1127	05:35:40.68	−05:01:53.3	19.32	17.28	16.29	
1128	05:35:40.68	−05:03:56.1	14.79	13.36	12.71	2MASS J0535406−050356
1129	05:35:40.77	−05:12:47.9	13.29	12.17	11.64	2MASS J0535407−051247
1130	05:35:40.78	−05:09:01.6	10.36 [†]	9.43 [†]	9.09 [†]	2MASS J0535407−050901
1131	05:35:40.78	−05:11:11.9	13.67	13.09	12.74	2MASS J0535407−051111
1132	05:35:40.80	−05:18:39.1	16.80	15.84	14.95	
1133	05:35:40.86	−05:18:32.6	16.50	15.81	15.29	
1134	05:35:40.96	−05:16:57.5	15.97	15.31	15.12	
1135	05:35:41.05	−05:06:25.3	12.55	11.89	11.67	2MASS J0535410−050625
1136	05:35:41.10	−05:09:55.8	17.10	16.59	16.00	
1137	05:35:41.29	−05:03:52.2	14.17	12.92	12.43	2MASS J0535413−050352
1138	05:35:41.35	−05:16:41.3	16.81	16.07	15.21	
1139	05:35:41.38	−05:04:38.8	17.04	15.70	14.93	
1140	05:35:41.38	−05:12:58.9	11.31	10.61 [†]	10.38 [†]	2MASS J0535413−051258
1141	05:35:41.42	−05:16:44.9	16.88	16.09	15.40	
1142	05:35:41.57	−05:16:05.5	15.10	14.21	14.06	2MASS J0535415−051605
1143	05:35:41.63	−04:56:53.9	12.64	11.87	11.85	2MASS J0535416−045653
1144	05:35:41.74	−05:03:29.0	13.41	12.66	12.55	2MASS J0535417−050329
1145	05:35:41.74	−05:05:19.8	15.37	13.77	12.82	2MASS J0535417−050519
1146	05:35:41.77	−04:58:13.9	17.95	16.52	15.92	
1147	05:35:41.85	−05:01:25.6	15.61	14.45	14.08	2MASS J0535418−050125
1148	05:35:41.99	−05:17:36.4	18.17	17.01	16.63	
1149	05:35:42.01	−05:10:11.5	11.46	10.16 [†]	9.50 [†]	2MASS J0535420−051011
1150	05:35:42.04	−05:16:11.2	17.89	16.91	16.75	
1151	05:35:42.07	−05:12:59.4	13.37	12.81	12.51	2MASS J0535420−051259
1152	05:35:42.16	−05:19:09.3	17.89	16.96	15.86	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1153	05:35:42.28	−05:15:59.3	16.86	15.44	14.91	
1154	05:35:42.29	−05:15:08.0	13.55	12.08	11.60	2MASS J0535422−051507
1155	05:35:42.35	−05:11:57.4	15.19	14.73	14.54	
1156	05:35:42.50	−05:12:38.2	15.35	14.70	13.89	
1157	05:35:42.52	−04:59:40.1	12.58	11.83	11.79	2MASS J0535425−045940
1158	05:35:42.61	−05:01:03.4	15.77	14.38	13.89	2MASS J0535426−050103
1159	05:35:42.69	−05:10:16.3	14.64	14.13	13.73	2MASS J0535426−051016
1160	05:35:42.69	−05:10:49.1	19.76	17.17	16.24	
1161	05:35:42.77	−05:11:54.7	11.20	10.47 [†]	10.28 [†]	2MASS J0535427−051154
1162	05:35:42.97	−04:57:43.5	13.62	12.85	12.44	2MASS J0535429−045743
1163	05:35:42.97	−05:19:05.8	18.82	16.97	16.16	
1164	05:35:43.06	−05:03:07.3	13.32	12.62	12.39	2MASS J0535430−050307
1165	05:35:43.11	−05:13:46.8	10.19 [†]	9.89 [†]	9.78 [†]	2MASS J0535431−051346
1166	05:35:43.20	−04:58:23.3	13.76	13.03	12.78	2MASS J0535431−045823
1167	05:35:43.25	−05:09:17.0	10.78 [†]	10.08 [†]	9.88 [†]	2MASS J0535432−050917
1168	05:35:43.55	−05:05:41.3	11.96	11.48	10.38 [†]	2MASS J0535435−050541
1169	05:35:43.55	−05:08:49.4	15.95	14.90	14.26	2MASS J0535435−050849
1170	05:35:43.58	−05:09:33.9	16.28	15.26	14.92	2MASS J0535435−050933
1171	05:35:43.63	−05:01:52.8	>21.29	16.89	15.99	
1172	05:35:43.64	−04:56:54.0	20.18	>20.76	16.23	
1173	05:35:43.65	−05:17:28.7	15.20	14.08	13.64	
1174	05:35:43.66	−05:07:07.5	17.82	16.87	16.09	
1175	05:35:43.66	−05:17:25.5	14.27	13.20	12.79	2MASS J0535436−051725
1176	05:35:43.80	−05:14:39.1	14.37	13.47	13.16	2MASS J0535437−051439
1177	05:35:43.81	−05:09:58.7	13.61	13.07	12.71	2MASS J0535438−050958
1178	05:35:43.93	−05:14:04.8	18.45	17.19	16.53	
1179	05:35:43.96	−05:03:42.9	14.86	13.63	13.09	2MASS J0535439−050343
1180	05:35:44.03	−04:56:18.5	15.56	14.54	13.90	2MASS J0535440−045618
1181	05:35:44.09	−05:08:37.5	14.63	13.19	11.86	2MASS J0535440−050837
1182	05:35:44.09	−05:12:56.5	17.36	16.33	16.22	
1183	05:35:44.35	−04:57:16.8	13.23	12.49	12.25	2MASS J0535443−045716
1184	05:35:44.50	−05:07:31.6	12.07	11.60	11.30	2MASS J0535445−050731
1185	05:35:44.53	−05:08:56.3	16.12	14.93	14.18	2MASS J0535445−050856
1186	05:35:44.59	−04:56:24.8	16.81	15.58	15.37	2MASS J0535446−045625
1187	05:35:44.61	−04:59:57.6	14.92	14.26	14.01	2MASS J0535446−045957
1188	05:35:44.70	−05:00:39.6	14.00	13.13	12.89	2MASS J0535447−050039
1189	05:35:44.71	−04:58:35.3	16.18	15.01	14.65	2MASS J0535447−045835
1190	05:35:44.79	−04:58:12.4	18.62	16.83	15.90	
1191	05:35:44.86	−05:07:16.8	10.09 [†]	9.45 [†]	9.17 [†]	2MASS J0535448−050716
1192	05:35:44.93	−04:57:01.4	16.12	15.40	14.80	2MASS J0535449−045701
1193	05:35:44.95	−05:15:20.1	14.43	13.39	13.10	2MASS J0535449−051520
1194	05:35:44.99	−04:56:02.8	13.57	12.63	12.39	2MASS J0535450−045602
1195	05:35:45.07	−05:13:55.4	16.70	15.34	15.36	
1196	05:35:45.12	−05:17:27.3	17.34	16.38	16.36	
1197	05:35:45.19	−05:00:47.6	17.01	15.85	15.53	
1198	05:35:45.24	−05:07:09.1	15.94	15.02	14.43	2MASS J0535452−050709
1199	05:35:45.32	−05:19:08.3	15.69	13.82	12.92	2MASS J0535453−051908
1200	05:35:45.38	−05:10:11.9	16.30	14.67	13.90	2MASS J0535453−051012
1201	05:35:45.48	−05:09:45.9	>21.90	>20.95	16.95	
1202	05:35:45.58	−05:18:02.9	13.07	13.80	13.04	
1203	05:35:45.61	−05:18:13.3	12.55	11.52	11.37	2MASS J0535456−051813
1204	05:35:45.62	−05:18:42.6	15.22	13.83	14.24	2MASS J0535456−051842
1205	05:35:45.63	−05:13:36.0	13.30	12.25	11.67	2MASS J0535456−051336
1206	05:35:45.70	−05:14:05.4	18.67	16.52	15.35	
1207	05:35:45.71	−05:10:55.3	13.54	13.03	12.68	2MASS J0535457−051055
1208	05:35:45.97	−05:16:09.9	17.08	15.40	14.04	
1209	05:35:46.02	−04:55:31.9	15.16	13.98	13.78	2MASS J0535460−045532
1210	05:35:46.07	−05:17:49.4	12.34	11.56	11.06	2MASS J0535460−051749
1211	05:35:46.10	−05:12:24.3	18.08	16.30	14.77	
1212	05:35:46.11	−04:56:41.0	17.39	16.15	15.69	
1213	05:35:46.13	−05:10:51.8	12.02	11.23	10.62 [†]	2MASS J0535461−051051
1214	05:35:46.14	−05:00:43.4	16.68	15.45	15.16	2MASS J0535461−050043
1215	05:35:46.20	−04:58:49.5	15.20	14.07	13.70	2MASS J0535462−045849
1216	05:35:46.24	−05:15:39.8	12.64	11.53	10.98 [†]	2MASS J0535462−051539

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1217	05:35:46.26	−05:16:25.4	>21.37	19.05	15.92	
1218	05:35:46.31	−05:13:24.3	16.52	15.40	15.04	
1219	05:35:46.48	−04:58:17.8	15.33	14.24	13.94	2MASS J0535464−045817
1220	05:35:46.49	−04:57:54.8	16.59	15.51	15.29	2MASS J0535465−045755
1221	05:35:46.56	−05:03:41.3	16.37	15.17	14.65	2MASS J0535465−050341
1222	05:35:46.57	−05:05:33.4	18.25	16.39	15.24	
1223	05:35:46.62	−05:15:55.5	20.34	15.90	15.59	
1224	05:35:46.67	−05:17:29.0	16.52	14.43	14.33	
1225	05:35:46.82	−05:16:46.8	12.77	11.88	11.55	2MASS J0535468−051646
1226	05:35:46.90	−05:10:43.3	14.12	13.22	12.89	2MASS J0535469−051043
1227	05:35:47.01	−05:16:14.1	15.22	14.52	13.88	
1228	05:35:47.02	−05:06:13.2	16.22	15.31	14.96	2MASS J0535470−050612
1229	05:35:47.09	−05:14:42.5	15.26	14.10	13.59	
1230	05:35:47.17	−05:00:44.9	16.16	15.39	15.13	2MASS J0535471−050044
1231	05:35:47.20	−05:16:43.2	16.27	15.94	15.85	
1232	05:35:47.25	−05:17:43.1	12.15	11.64	11.33	
1233	05:35:47.39	−05:13:18.5	11.58	11.03 [†]	10.84 [†]	2MASS J0535473−051318
1234	05:35:47.42	−05:10:28.5	11.17	10.88 [†]	10.47 [†]	2MASS J0535474−051028
1235	05:35:47.47	−05:00:46.9	17.69	16.58	16.01	
1236	05:35:47.48	−05:14:30.4	17.51	16.25	15.35	
1237	05:35:47.50	−05:16:57.8	10.42 [†]	10.06 [†]	9.93 [†]	2MASS J0535475−051657
1238	05:35:47.54	−05:07:10.0	16.16	14.95	14.57	2MASS J0535475−050709
1239	05:35:47.54	−05:12:18.1	12.88	12.23	12.21	2MASS J0535475−051218
1240	05:35:47.79	−05:10:30.8	10.18 [†]	9.64 [†]	9.40 [†]	2MASS J0535477−051030
1241	05:35:47.83	−04:58:54.6	17.95	16.38	15.91	
1242	05:35:47.83	−05:13:17.7	13.29	12.08	11.70	2MASS J0535478−051317
1243	05:35:48.01	−05:08:11.6	15.09	13.61	12.78	2MASS J0535480−050811
1244	05:35:48.11	−05:15:24.7	17.39	16.42	15.92	
1245	05:35:48.26	−05:11:10.3	12.79	11.95	11.66	2MASS J0535482−051110
1246	05:35:48.32	−04:57:42.7	15.50	14.25	13.83	2MASS J0535483−045742
1247	05:35:48.39	−05:01:28.7	12.24	11.39	10.21 [†]	2MASS J0535483−050128
1248	05:35:48.39	−05:08:52.6	17.59	16.40	16.05	
1249	05:35:48.50	−05:15:35.7	17.07	16.18	16.14	
1250	05:35:48.55	−05:15:21.1	15.18	14.39	14.15	2MASS J0535485−051521
1251	05:35:48.59	−05:17:42.6	14.56	13.49	13.09	2MASS J0535485−051742
1252	05:35:48.62	−05:11:53.2	16.72	15.78	15.56	
1253	05:35:48.76	−04:58:38.5	18.01	16.70	16.50	
1254	05:35:48.84	−05:00:28.5	12.66	11.67	11.35	2MASS J0535488−050028
1255	05:35:48.96	−05:09:53.0	16.15	15.11	14.60	2MASS J0535489−050953
1256	05:35:48.99	−05:01:39.3	12.61	11.81	11.53	2MASS J0535489−050139
1257	05:35:49.02	−05:15:52.7	15.95	15.15	14.97	
1258	05:35:49.03	−05:15:37.6	13.13	12.33	12.07	2MASS J0535490−051537
1259	05:35:49.66	−05:00:34.7	17.47	16.16	15.67	
1260	05:35:49.66	−05:06:02.7	13.26	12.57	12.46	2MASS J0535496−050602
1261	05:35:49.80	−05:06:39.7	15.48	14.69	14.41	2MASS J0535497−050639
1262	05:35:49.81	−04:58:22.8	18.37	17.06	16.58	
1263	05:35:49.84	−05:15:12.8	15.44	14.65	14.24	
1264	05:35:50.03	−05:17:17.8	14.98	14.01	13.54	2MASS J0535500−051718
1265	05:35:50.06	−04:58:16.1	14.46	13.26	12.93	2MASS J0535500−045816
1266	05:35:50.08	−05:09:46.2	13.39	12.48	12.15	2MASS J0535500−050946
1267	05:35:50.12	−05:10:29.4	13.22	12.64	12.37	2MASS J0535501−051029
1268	05:35:50.12	−05:17:00.2	17.76	16.51	16.60	
1269	05:35:50.41	−05:17:29.9	17.44	16.38	15.82	
1270	05:35:50.56	−05:16:11.7	17.67	16.13	15.93	
1271	05:35:50.58	−05:09:20.9	14.29	13.18	12.55	
1272	05:35:50.66	−05:14:58.9	17.39	16.58	14.31	
1273	05:35:50.76	−05:16:28.9	11.36	10.65 [†]	10.21 [†]	2MASS J0535507−051629
1274	05:35:50.77	−05:16:53.3	16.69	15.46	15.15	
1275	05:35:50.82	−05:09:29.9	8.49 [†]	7.20 [†]	6.67 [†]	2MASS J0535508−050930
1276	05:35:50.84	−05:05:49.3	17.74	16.41	15.65	
1277	05:35:51.02	−05:17:33.0	17.36	16.41	15.31	
1278	05:35:51.05	−05:15:08.7	11.81	11.30 [†]	10.97 [†]	2MASS J0535510−051508
1279	05:35:51.08	−05:07:08.7	11.01	10.28 [†]	9.87 [†]	2MASS J0535510−050708
1280	05:35:51.31	−05:11:59.9	15.92	14.98	14.80	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1281	05:35:51.45	−05:08:01.8	15.59	14.30	13.52	
1282	05:35:51.49	−05:17:22.6	18.49	17.31	16.57	
1283	05:35:51.55	−04:57:11.7	19.45	17.98	16.07	
1284	05:35:51.56	−05:09:01.9	14.97	14.14	13.83	2MASS J0535515−050901
1285	05:35:51.56	−05:15:09.5	16.79	16.19	16.02	
1286	05:35:51.64	−05:08:09.0	10.05 [†]	9.42 [†]	9.24 [†]	2MASS J0535516−050809
1287	05:35:51.78	−05:17:39.2	13.44	12.68	12.33	2MASS J0535517−051739
1288	05:35:51.82	−04:58:45.2	18.65	17.21	16.33	
1289	05:35:51.84	−05:15:30.5	14.80	14.14	13.93	2MASS J0535518−051530
1290	05:35:51.93	−05:14:16.5	14.72	13.87	13.65	2MASS J0535519−051416
1291	05:35:51.94	−05:11:56.6	17.41	16.52	16.25	
1292	05:35:51.96	−05:03:57.7	16.41	15.48	15.23	2MASS J0535519−050357
1293	05:35:52.26	−05:13:18.6	13.91	13.24	12.87	2MASS J0535522−051318
1294	05:35:52.29	−04:57:41.8	19.09	17.02	16.54	
1295	05:35:52.33	−05:12:57.0	12.84	12.18	11.87	2MASS J0535523−051256
1296	05:35:52.48	−04:57:04.2	16.64	15.07	14.52	2MASS J0535524−045704
1297	05:35:52.63	−05:05:05.3	9.84 [†]	9.26 [†]	8.85 [†]	2MASS J0535526−050505
1298	05:35:52.77	−05:12:59.0	11.73	11.07 [†]	10.45 [†]	2MASS J0535527−051258
1299	05:35:52.88	−04:59:29.0	17.84	16.52	15.81	
1300	05:35:52.89	−04:58:34.4	16.04	15.09	14.68	2MASS J0535528−045834
1301	05:35:52.95	−05:01:18.3	15.21	14.19	13.93	2MASS J0535529−050118
1302	05:35:53.09	−05:10:17.9	17.42	16.02	15.65	
1303	05:35:53.31	−04:57:26.2	18.56	17.09	16.09	
1304	05:35:53.35	−05:01:16.0	16.83	15.78	15.36	
1305	05:35:53.44	−05:09:39.2	17.62	16.07	15.47	
1306	05:35:53.54	−05:02:34.7	13.02	11.99	11.62	2MASS J0535535−050234
1307	05:35:53.64	−05:10:09.6	15.67	14.75	14.35	2MASS J0535536−051009
1308	05:35:53.71	−05:02:00.7	15.88	15.00	14.64	2MASS J0535537−050200
1309	05:35:53.99	−05:10:40.0	15.59	15.00	14.85	2MASS J0535539−051039
1310	05:35:54.00	−05:00:30.7	17.72	16.51	16.37	
1311	05:35:54.03	−05:04:14.9	11.32 [†]	10.43 [†]	9.90 [†]	2MASS J0535540−050414
1312	05:35:54.09	−05:13:29.8	16.79	16.30	16.01	
1313	05:35:54.19	−05:14:43.8	17.22	15.95	15.93	
1314	05:35:54.20	−05:05:45.4	13.43	12.79	12.61	2MASS J0535542−050545
1315	05:35:54.21	−05:13:43.0	>21.91	18.38	17.27	
1316	05:35:54.32	−05:11:52.3	16.98	16.07	15.82	
1317	05:35:54.68	−05:05:21.3	16.93	15.79	15.08	
1318	05:35:54.69	−05:06:27.8	13.34	12.85	12.57	2MASS J0535546−050627
1319	05:35:54.77	−05:10:55.6	13.21	12.61	12.47	2MASS J0535547−051055
1320	05:35:54.80	−04:59:20.2	16.40	15.17	14.75	2MASS J0535548−045920
1321	05:35:54.82	−05:00:48.9	16.87	16.00	15.89	
1322	05:35:54.95	−05:10:27.9	14.48	13.78	13.59	2MASS J0535549−051027
1323	05:35:54.97	−05:13:15.5	12.35	11.64	11.43	2MASS J0535549−051315
1324	05:35:55.03	−05:03:16.1	17.03	16.00	15.66	
1325	05:35:55.06	−05:02:37.3	13.87	12.72	12.33	2MASS J0535550−050237
1326	05:35:55.18	−05:14:42.6	17.25	15.87	15.60	
1327	05:35:55.35	−05:14:13.9	16.14	15.32	14.92	
1328	05:35:55.41	−05:09:50.2	16.39	15.60	15.19	2MASS J0535554−050950
1329	05:35:55.45	−05:13:55.3	13.15	12.52	12.29	2MASS J0535554−051355
1330	05:35:55.60	−05:10:00.4	17.22	16.58	16.52	
1331	05:35:55.65	−05:08:11.9	16.71	15.97	15.40	
1332	05:35:55.74	−05:04:37.7	16.99	15.68	14.18	
1333	05:35:55.94	−05:00:07.5	14.69	14.09	13.78	2MASS J0535559−050007
1334	05:35:56.00	−05:05:37.3	16.50	15.40	15.15	2MASS J0535560−050537
1335	05:35:56.02	−05:00:51.5	14.08	13.05	12.79	2MASS J0535560−050051
1336	05:35:56.02	−05:12:09.0	15.23	14.29	14.01	2MASS J0535560−051209
1337	05:35:56.04	−05:09:03.1	11.17	10.39 [†]	10.12 [†]	2MASS J0535560−050903
1338	05:35:56.49	−05:10:30.7	14.95	14.35	14.22	2MASS J0535564−051030
1339	05:35:56.55	−04:58:58.7	15.45	14.44	14.09	2MASS J0535565−045858
1340	05:35:56.61	−05:02:16.5	17.40	16.29	15.75	
1341	05:35:56.69	−04:59:02.5	17.56	16.43	16.07	
1342	05:35:56.81	−05:13:28.9	17.65	16.58	16.44	
1343	05:35:56.84	−04:59:14.6	14.68	14.11	13.77	2MASS J0535568−045914
1344	05:35:57.04	−05:01:40.7	17.66	16.52	15.94	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1345	05:35:57.14	−05:01:49.5	17.64	16.79	16.23	
1346	05:35:57.15	−05:02:31.9	16.93	15.94	15.72	
1347	05:35:57.24	−05:07:22.4	16.84	16.11	15.70	
1348	05:35:57.47	−05:05:32.2	17.36	16.29	16.05	
1349	05:35:57.47	−05:08:29.1	17.85	16.80	16.48	
1350	05:35:57.54	−05:08:44.2	17.44	16.60	16.34	
1351	05:35:57.61	−05:10:02.6	17.82	16.83	16.22	
1352	05:35:57.66	−05:10:29.6	16.73	16.19	15.97	2MASS J0535576−051029
1353	05:35:57.89	−05:12:18.0	15.97	15.33	15.05	
1354	05:35:58.07	−05:12:54.3	9.15 [†]	8.30 [†]	8.05 [†]	2MASS J0535580−051254
1355	05:35:58.10	−05:11:42.7	15.49	14.54	13.85	
1356	05:35:58.17	−05:13:07.1	17.04	16.27	15.98	
1357	05:35:58.19	−05:11:22.9	17.81	16.58	16.00	
1358	05:35:58.20	−05:11:53.8	16.51	15.61	15.41	
1359	05:35:58.22	−05:09:32.1	15.16	14.45	14.22	2MASS J0535582−050932
1360	05:35:58.27	−05:00:48.1	17.23	16.09	15.93	
1361	05:35:58.37	−05:06:27.4	16.95	16.19	15.75	
1362	05:35:58.74	−04:59:32.2	16.07	14.85	14.47	2MASS J0535587−045932
1363	05:35:58.75	−04:59:19.8	17.66	16.18	15.81	
1364	05:35:58.81	−05:10:14.6	15.23	14.66	14.12	2MASS J0535588−051014
1365	05:35:58.82	−05:00:26.1	15.03	14.38	14.07	2MASS J0535588−050026
1366	05:35:59.00	−05:12:40.6	16.12	15.38	14.96	
1367	05:35:59.22	−04:58:46.2	12.55	11.83	11.61	2MASS J0535592−045846
1368	05:35:59.22	−05:07:33.7	14.81	14.24	13.82	2MASS J0535592−050733
1369	05:35:59.48	−05:10:21.4	16.22	15.19	15.27	2MASS J0535595−051021
1370	05:35:59.61	−05:01:28.7	13.52	12.62	12.34	2MASS J0535596−050128
1371	05:35:59.67	−05:01:38.6	16.59	15.31	15.03	2MASS J0535596−050138
1372	05:35:59.71	−05:06:43.5	15.10	14.28	14.26	2MASS J0535597−050643
1373	05:35:59.91	−05:00:37.7	17.34	15.98	15.49	
1374	05:35:59.93	−05:04:31.0	13.41	12.82	12.52	2MASS J0535599−050430
1375	05:36:00.33	−05:05:00.0	12.23	11.66	11.44	2MASS J0536003−050459
1376	05:36:00.45	−05:05:54.0	13.38	12.83	12.61	2MASS J0536004−050553
1377	05:36:00.77	−04:59:14.7	15.46	14.53	14.24	2MASS J0536007−045914
1378	05:36:00.92	−05:08:48.7	15.88	15.17	15.04	2MASS J0536009−050848
1379	05:36:01.07	−05:03:09.3	17.11	15.99	15.79	
1380	05:36:01.27	−05:01:59.2	16.18	15.23	14.93	2MASS J0536012−050158
1381	05:36:01.28	−05:07:56.4	15.44	14.71	14.54	2MASS J0536012−050756
1382	05:36:01.31	−05:07:39.1	17.35	16.34	15.62	
1383	05:36:01.51	−05:00:21.0	16.58	15.18	14.86	2MASS J0536015−050020
1384	05:36:01.55	−05:11:55.3	16.95	16.08	15.86	
1385	05:36:01.64	−05:10:40.4	15.41	14.83	14.69	2MASS J0536016−051040
1386	05:36:01.74	−04:59:24.3	16.37	15.21	14.67	2MASS J0536017−045924
1387	05:36:01.87	−05:08:35.1	16.09	15.18	14.88	2MASS J0536018−050835
1388	05:36:02.17	−05:00:13.1	17.98	16.97	16.42	
1389	05:36:02.52	−05:04:42.1	16.79	16.05	15.89	
1390	05:36:02.63	−05:07:36.5	11.31	10.69 [†]	10.49 [†]	2MASS J0536026−050736
1391	05:36:02.70	−05:04:18.9	17.08	16.35	16.23	
1392	05:36:02.73	−05:04:44.7	17.67	16.57	16.25	
1393	05:36:02.81	−05:04:23.7	14.89	14.39	14.06	2MASS J0536028−050423
1394	05:36:02.87	−05:09:00.1	17.25	16.43	16.27	
1395	05:36:02.91	−05:05:43.3	17.61	16.30	15.65	
1396	05:36:02.93	−05:07:53.2	17.16	16.13	15.45	
1397	05:36:03.03	−05:01:11.0	17.58	16.40	15.97	
1398	05:36:03.04	−05:07:18.7	15.16	14.36	14.16	2MASS J0536030−050718
1399	05:36:03.14	−04:58:58.9	15.71	14.73	14.49	2MASS J0536031−045859
1400	05:36:03.21	−05:07:09.6	17.39	16.55	16.44	
1401	05:36:03.25	−05:09:30.9	15.66	14.86	14.70	2MASS J0536032−050931
1402	05:36:03.29	−05:04:21.4	16.59	15.69	15.32	2MASS J0536032−050421
1403	05:36:03.39	−05:04:00.8	14.81	14.03	13.85	2MASS J0536034−050401
1404	05:36:03.53	−05:07:31.0	17.73	16.81	16.54	
1405	05:36:03.54	−05:04:45.2	16.74	15.73	15.51	2MASS J0536035−050445
1406	05:36:04.15	−05:04:08.8	12.77	12.02	11.67	2MASS J0536041−050409
1407	05:36:04.32	−05:07:15.6	10.90 [†]	10.57 [†]	10.51 [†]	2MASS J0536043−050715
1408	05:36:04.48	−05:07:00.9	16.04	15.36	15.16	

TABLE 2—*Continued*

ID	R.A. ^a (hh:mm:ss.ss)	Dec. ^a (dd:mm:ss.s)	J^{bcde} (mag)	H^{bcde} (mag)	K^{bde} (mag)	2MASS Counterpart
1409	05:36:04.51	−05:09:28.6	11.23	10.62 [†]	10.44 [†]	2MASS J0536045−050929
1410	05:36:04.70	−05:13:03.7	>21.66	>20.71	16.61	
1411	05:36:04.86	−04:58:45.1	15.67	14.73	14.39	2MASS J0536048−045845
1412	05:36:04.87	−04:59:32.6	17.29	16.02	15.72	
1413	05:36:04.97	−04:59:41.5	11.71	11.20	11.13	
1414	05:36:05.07	−05:10:57.9	>21.41	>20.46	16.14	
1415	05:36:05.09	−04:59:42.9	11.75	11.24	11.16	2MASS J0536050−045943
1416	05:36:05.09	−05:03:12.2	15.35	14.68	14.55	2MASS J0536050−050312
1417	05:36:05.11	−05:11:13.4	13.78	13.32	12.88	2MASS J0536051−051113
1418	05:36:05.43	−05:04:43.6	16.45	16.03	14.15	
1419	05:36:05.48	−05:07:58.6	15.62	15.09	14.69	2MASS J0536054−050758
1420	05:36:05.87	−05:02:18.2	14.63	13.97	13.77	2MASS J0536058−050218
1421	05:36:05.94	−05:00:41.0	14.92	14.00	13.77	2MASS J0536059−050041
1422	05:36:06.02	−05:08:15.0	15.81	15.30	15.19	2MASS J0536060−050815
1423	05:36:06.14	−05:07:55.6	>21.72	>20.77	17.05	
1424	05:36:06.30	−05:09:40.1	17.30	16.32	16.03	
1425	05:36:06.62	−05:06:07.4	>21.91	>20.96	17.47	
1426	05:36:06.65	−05:03:06.9	17.24	16.24	16.06	
1427	05:36:06.79	−05:06:15.5	12.98	12.25	12.04	2MASS J0536067−050615
1428	05:36:06.85	−05:08:50.8	16.68	15.93	15.93	2MASS J0536068−050851
1429	05:36:07.07	−05:04:07.6	16.98	15.86	15.61	2MASS J0536070−050407
1430	05:36:07.61	−05:04:15.4	17.67	16.56	16.43	
1431	05:36:07.71	−05:09:41.2	16.28	15.28	15.07	2MASS J0536077−050941
1432	05:36:07.96	−05:09:37.3	17.23	16.64	16.72	
1433	05:36:08.26	−05:04:01.8	14.68	14.04	13.97	2MASS J0536082−050401
1434	05:36:08.49	−05:06:14.7	17.02	16.07	15.90	
1435	05:36:08.54	−05:01:41.3	15.28	14.42	14.30	2MASS J0536085−050141
1436	05:36:08.68	−05:04:34.3	15.97	14.91	14.70	2MASS J0536086−050434
1437	05:36:08.70	−05:02:32.2	18.70	18.08	16.34	
1438	05:36:08.80	−05:02:35.0	15.94	14.96	14.70	2MASS J0536088−050235
1439	05:36:08.92	−05:02:26.3	17.84	16.69	16.44	
1440	05:36:09.81	−05:00:49.9	13.48	12.63	12.53	2MASS J0536098−050050
1441	05:36:09.96	−05:05:35.3	14.23	13.63	13.39	2MASS J0536099−050535
1442	05:36:10.17	−05:07:02.7	15.51	14.55	14.36	2MASS J0536101−050703
1443	05:36:10.57	−05:06:12.3	17.79	16.88	16.83	
1444	05:36:10.76	−05:04:34.0	15.85	14.92	14.84	2MASS J0536107−050434
1445	05:36:10.81	−05:02:31.3	15.50	14.80	14.71	2MASS J0536108−050231
1446	05:36:11.00	−05:03:41.2	8.44 [†]	8.22 [†]	8.14 [†]	2MASS J0536110−050341
1447	05:36:11.79	−05:00:32.4	12.12	11.37	11.24	2MASS J0536118−050032
1448	05:36:12.41	−05:00:53.8	15.97	14.73	14.55	2MASS J0536124−050053

^aEquinox in J2000.0. The hundredth and the tenth order in second of R.A. and Dec. are truncated.

^bNIR colors are in the 2MASS color system.

^cThe upper limit of the flux (the lower limit of the magnitude) is given for sources with less than 3σ detection in J and/or H band and is labeled with “>”.

^dSaturated QUIRC magnitudes (brighter than 11 mag) are replaced with 2MASS magnitudes and labeled [†] if they have the 2MASS counterpart.

^eSaturated QUIRC magnitudes (brighter than 11 mag) are labeled “<” if they have no 2MASS counterpart, recognizing the value as the lower limit of the flux (the upper limit of the magnitude).

TABLE 3
QUIRC-IDED *Chandra* SOURCES

X-ray ^{abc} Source ID	QUIRC Source ID	separation ^d ($''$)	off-axis ^e ($'$)	J^f (mag)	$J-H^f$ (mag)	$H-K^f$ (mag)
I1 [†]	TKK J05343791–0508480	11.5	10.9	16.22	0.94	0.25
I2	TKK J05344064–0506586	3.2	10.0	15.50	2.33	1.28
I9	TKK J05345056–0506383	3.4	7.6	13.96	0.51	0.25
I46	TKK J05350365–0513104	5.7	8.5	15.07	1.69	0.74
I52	TKK J05350440–0507356	1.2	4.5	14.75	1.10	0.54
I68 [‡]	TKK J05350779–0501193	3.8	5.5	16.19	0.93	0.43
I74	TKK J05350988–0458495	0.7	7.5	16.22	3.04	1.64
I77	TKK J05351053–0458460	0.6	7.5	>20.55	>6.77	>3.28
I79	TKK J05351134–0514016	7.2	8.5	13.76	0.97	0.39
I82 [†]	TKK J05351310–0455523	4.3	10.0	12.82	1.88	1.64
I84	TKK J05351303–0500261	0.6	5.7	>20.68	>3.77	2.45
I92	TKK J05351464–0502250	0.3	3.7	12.77	1.02	0.46
I96	TKK J05351486–0506489	0.2	1.8	16.75	2.23	1.09
I102	TKK J05351533–0513382	2.1	8.0	13.47	0.86	0.12
I108	TKK J05351580–0512264	1.1	6.8	18.18	2.99	1.26
I110	TKK J05351596–0514591	0.6	9.3	11.57	0.44	>0.39
I118	TKK J05351715–0512394	0.5	6.9	13.51	0.62	0.08
I120	TKK J05351738–0512296	0.5	6.8	13.70	0.62	0.12
I121	TKK J05351742–0459570	0.4	5.9	17.26	2.67	1.68
I124	TKK J05351792–0515329	0.3	9.8	11.47	>0.73	...
I125	TKK J05351824–0513069	0.3	7.4	11.31	>0.99	...
I127	TKK J05351830–0508048	0.7	2.4	16.86	2.31	1.28
I128 [†]	TKK J05351833–0500329	0.4	5.3	17.67	3.25	>3.73
I131	TKK J05351886–0514456	0.7	9.0	12.45	0.81	0.34
I138 [†]	TKK J05351982–0515354	1.1	9.8	17.41	2.55	2.51
I140 ^{†‡}	TKK J05351998–0501024	0.1	4.7	>20.72	>2.61	3.95
I141	TKK J05351980–0514054	3.1	8.3	13.51	0.43	0.38
I146	TKK J05352062–0503007	0.6	2.8	18.13	3.73	2.44
I149 ^{†‡}	TKK J05352115–0506324	0.3	0.8	>20.95	>2.52	3.14
I153	TKK J05352147–0509037	0.4	3.3	12.23	0.92	>0.37
I154	TKK J05352152–0501539	0.5	3.9	18.24	3.23	1.92
I157	TKK J05352169–0456487	2.5	9.0	13.64	0.70	0.11
I159	TKK J05352188–0459197	2.0	6.5	15.26	1.42	0.80
I162	TKK J05352191–0515012	5.6	9.3	12.75	0.90	0.32
I169	TKK J05352308–0500364	0.9	5.2	16.30	2.45	1.38
I171	TKK J05352322–0508436	0.4	3.0	>20.72	>5.77	1.77
I172	TKK J05352330–0457207	0.5	8.5	12.88	0.83	0.10
I173 [†]	TKK J05352335–0508216	0.3	2.7	16.60	2.40	1.78
I176	TKK J05352348–0515234	1.0	9.6	14.03	0.66	0.41
I177 ^{†‡}	TKK J05352434–0501205	0.2	4.5	>20.80	>1.51	4.69
I180 [†]	TKK J05352469–0509264	1.3	3.8	16.86	1.81	1.49
I185	TKK J05352524–0515357	3.3	9.9	11.67	0.89	0.68
I191	TKK J05352567–0457183	4.9	8.5	13.32	0.73	0.16
I195 [†]	TKK J05352576–0505579	0.1	1.3	16.21	1.75	1.80
I197	TKK J05352587–0507564	0.3	2.5	11.12	0.17	0.86
I198	TKK J05352606–0508377	0.2	3.1	12.51	0.59	1.91
I202	TKK J05352646–0459519	0.2	6.1	16.52	2.34	1.26
I208	TKK J05352744–0502424	0.4	3.5	16.60	3.32	2.22
I211	TKK J05352793–0516573	6.1	11.4	11.58	0.73	0.27
I212	TKK J05352786–0505363	0.4	1.8	>20.62	>4.33	2.79
I213	TKK J05352806–0501351	0.3	4.6	18.99	4.09	2.69
I215 [†]	TKK J05352819–0503413	0.4	2.8	20.03	3.61	4.62
I218	TKK J05352826–0458384	0.4	7.4	>20.58	>6.47	2.65
I219	TKK J05352852–0507469	0.3	2.8	15.99	2.99	1.88
I233	TKK J05353054–0503345	0.7	3.3	15.31	1.67	0.87
I236	TKK J05353080–0458136	1.4	8.0	17.60	3.13	1.65
I261	TKK J05353359–0515232	4.1	10.1	13.08	1.24	0.38
I288	TKK J05353759–0504471	0.5	4.3	17.46	2.62	1.59
I293	TKK J05353853–0459410	0.8	7.5	12.00	0.92	>0.62
I323 [‡]	TKK J05354461–0459576	7.4	8.2	14.91	0.65	0.22
I329	TKK J05354826–0511103	5.2	8.8	12.77	0.82	0.26
I332	TKK J05354884–0500285	3.2	8.7	12.63	0.96	0.29
I337	TKK J05355012–0510294	7.2	8.6	13.21	0.58	0.24
I349 ^{†‡}	TKK J05355574–0504377	5.2	8.8	16.88	1.26	1.44

TABLE 3—*Continued*

X-ray ^{abc} Source ID	QUIRC Source ID	separation ^d ($''$)	off-axis ^e ($'$)	J^f (mag)	$J-H^f$ (mag)	$H-K^f$ (mag)
I352	TKK J05360045–0505540	3.8	9.9	13.38	0.55	0.19
I353	TKK J05360033–0505000	4.8	9.9	12.22	0.57	0.19
I354	TKK J05360415–0504088	10.8	11.1	12.75	0.74	0.31
I356 [‡]	TKK J05345731–0502508	4.2	6.6	18.31	1.82	0.77
I360 [‡]	TKK J05352138–0512444	2.1	7.0	15.88	0.70	0.53
I364 [‡]	TKK J05352956–0459567	4.3	6.3	17.93	0.77	1.08
I365 [‡]	TKK J05353065–0504111	1.2	2.9	18.18	1.76	1.39
I367	TKK J05353244–0515067	10.7	9.9	13.53	1.30	0.75
I378	TKK J05353072–0503355	0.5	3.3	15.25	1.66	0.81
I385 [‡]	TKK J05355468–0505213	5.1	8.5	16.87	1.10	0.67

^aThe nomenclature of X-ray sources follow Tsujimoto et al. (2002).

^bProtostar candidates are marked with $\dagger$ (see Sect. 5.2.1).

^cBrown dwarf candidates are marked with $\ddagger$ (see Sect. 5.2.1).

^dThe separation between the *Chandra* sources and their QUIRC counterpart.

^eThe off-axis angle of the *Chandra* sources.

^fNIR colors in the CIT color system.